

Erschwingliche Perfektion

Die Coffee Prime bietet erstklassigen Kaffee mit oder ohne Milchezusatz an und ist äusserst budgetfreundlich.

Für jeden Einsatz

Perfekt fürs Büro oder einen Shop: diese Maschine lässt sich überall aufstellen – nicht zuletzt dank ihres Wassertanks.



Schaerer Coffee Prime.

*Ihre erste Wahl für eine flexible, günstige, mobile Maschine,
die mit bestem Kaffee genuss überzeugt.*

Flexibel, modular und perfektioniert für die einfache Erweiterung.

Zusätzliche Mühle und Bohnenbehälter

Milchpulver

Zweiter Boiler

Powerpack: mehr Energie, zwei Boiler, grössere Container

Frische Milch

Doppelauslauf



Eine grosse Auswahl und höchste Qualität.

Rund 40 verschiedene Getränke lassen sich einfach per Knopfdruck zubereiten. Von frisch gemahlene Bohnen, frischer Milch oder Milchpulver bis hin zu Schokoladenpulver können Sie bei Ihrem Lieblingskaffee alles anpassen. Mit einem zweiten Heisswasserauslass optimieren Sie die Coffee Prime auch für Tee und Suppen. Ob zwei Mühlen oder laktosefreien Getränke – auch dies ist möglich. Nur eines ändert sich nie: die Qualität.

Flexible Komponenten.

Ob Frischmilch oder Milchpulver, ein Kühlsystem unter oder neben der Maschine, eine zweite Mühle oder ein zweiter Bohnenbehälter (oder beides), ob ein Becherspender in drei Grössen oder ein integriertes Zahlungssystem: Sie entscheiden.

Mehr Power mit dem Powerpack.

Die Normalversion der Coffee Prime ist gedacht für bis zu rund 100 Tassen Kaffee pro Tag. Falls Sie mengenmässig höheren Bedarf haben, empfiehlt Schaefer Ihnen das Powerpack. Es erhöht die Kapazität der Maschine, besonders bei grossen milchbasierten Getränk. Für jeden Boiler liefert das Powerpack 3kW (2kW in der Schweiz), zudem verarbeitet es grössere Mengen schneller. So können Sie die Leistung auf bis zu 150 Tassen pro Tag steigern.

Standardausrüstung, Optionen und Accessoires.

STANDARDAUSRÜSTUNG:



Intuitiv bedienbar

Der 7" TouchIT-Display ist für alle einfach zu bedienen und deshalb **ideal für die Selbstbedienung**.



Einzel- und Doppelauslauf

Die **Standardversion (1.35kW)** enthält einen Einzelauslauf, die **Powerpack-Version (3kW bzw. 2kW in der Schweiz)** einen Doppelauslauf.



Tropfschale und Tassenplattform

Die **spülmaschinen-taugliche Tropfschale** aus Chromnickelstahl ist manuell anpassbar. So hat jede Tasse Platz und bleibt trocken.

OPTIONALE FEATURES:



Grosser Pulver-Container

Extrkapazität **(1400 g / 2 l)** sorgt für eine konsistente Leistung und macht die Maschine autonomer bei vielen Getränken auf Pulverbasis.



Milchsystem

Das duale System (Frischmilch / Milchpulver) eignet sich auch für **laktosefreie Pulver**.



Grosser Bohnenbehälter

Der Behälter mit **1200 g** Kapazität sorgt für mehr Leistung.



Zweite Mühle

Die beiden Mühlen lassen sich mit zwei Bohnenbehälter zu je 600 g kombinieren. **So können Sie zwei Kaffeesorten anbieten.**



NcFoamer

Praktischer Einweg-Milchsystem, das, nicht gereinigt werden muss. Entspricht höchsten Hygiene-Standards, ist **rezyklierbar und umweltfreundlich**.



Schaerer Coffee Link: digital & smart

Schaerer Coffee Link ist eine digitale Serviceplattform, die ein leistungsstarkes Echtzeit-Tool für die Überwachung und Optimierung Ihres Kaffeebetriebs bietet.

OPTIONALE FEATURES:



Aquachange

Der Trinkwassertank (5.2 l) lässt sich durch Ihren Techniker **an die Wasserleitung anschliessen**.



Pulverbehälter

Mit einem einfachen Behälter **für Choco, Milchpulver oder andere Zutaten** oder einem Doppelbehälter für zwei Toppings bieten Sie mehr Auswahl.

ACCESSOIRES:



Tassenschale unter der Theke

Sparen Sie Platz auf der Theke und lagern Sie den Kaffeesatz darunter.



Kühleinheit unter der Maschine

Spart Platz auf der Theke. **9.5 l** Kapazität.



Becherspender in drei Größen

Für Becher in den Durchmessergrößen 60-74 mm / 75-82 mm / 83-90 mm. Auf dem Spender gibt es drei **Behälter für Extras** wie Löffel, Zucker oder Milch.



Zahlungssysteme


Verbindet alle MDB-Standard-Zahlungssysteme. Kartenlesegerät, Münzenwechsler und andere Geräte **lassen sich einfach anschliessen**.




Seitliche Kühleinheit (Kühlschrank)

Inklusive Kompressor. Darin können **Sie zwei 5l-Container oder einen 10l-Container** Milch kühlen.

Konfiguration und technische Daten.




Schaerer Coffee Prime mit Powerpack und Kühleinheit unter der Maschine




Seitliche Kühleinheit mit Sockel


Becherspender mit Sockel



Kühleinheit unter der Maschine und unter der Theke



Münzwechsler



Kategorie	Ausstattung und Optionen	Schaerer Coffee Prime 1.35 kW	Schaerer Coffee Prime with Powerpack 3 kW (2 kW [CH])
Leistung pro Tag	Empfohlene Getränkeleistung	100	150
Leistung pro Stunde	Espresso	120	120
	Coffee	85	95
	Cappuccino (200ml)	90	110
	Cappuccino (320ml)	60	90
	Cappuccino (470ml)	35	60
Getränkeangebot	Ristretto	s	s
	Espresso	s	s
	Kaffee	s	s
	Milchkaffee/Schale	o	o
	Cappuccino	o	o
	Latte macchiato	o	o
	Chociatto	o	o
	Heisser Milchschaum	o	o
	Heisswasser	s	s
Bedienung und Ausgabe	Instantgetränke (Tee, Suppe usw.)	o	o
	Selbstbedienungsmodus	s	s
	Anzahl möglicher Getränke (programmierbar)	40	40
	Tassenrost (manuell anpassbar)	s	s
	Einzelauslauf (Höhe manuell anpassbar zwischen 115 und 175	s	o
	Doppelauslauf	o	s
	Touch Screen 7"		
Möhlen und Behälter	Heisswasserauslauf		
	1 Mühle	s	s
	2 Mühlen	o	o
	Bohnenbehälter (g)	600	600
	Grosser Bohnenbehälter (g)	1200	1200
Boiler	Heisswasserboiler Kaffee	s	s
	Dampfboiler	o	o
Milchsysteme und Kühl-einheiten	Milk Smart (MS)	o	o
	Beistellkühleinheit (BKE)	o	o
	Unterstellkühleinheit (UKE)	o	o
	Cup & Cool	o	o
Pulversystem	Pulvercontainer (g)	1400	1400
	Pulvercontainer Twin(g)	2x700	2x700
	Topping (1x Topping-Pulver), z.B. Milchpulver	o	o
	Choco (1x Choco-Pulver)	o	o
	Choco/Topping (1 x Choco- und 1 x Topping-Pulver)	o	o
	Twin-Topping (2 x Topping-Pulver)	o	o
	Choco-Topping (2 x Choco-Pulver)	o	o
	Instantpulver	o	o
Allgemeine Optionen	Braubeschleuniger	o	o
	Satzbehälter [Kaffeekekuchen]	40	40
	Unterthecken-Satzdurchwurf	o	o
	Unterstellereinheit + Satzbehälter [Kaffeekekuchen]	o (100)	o (100)
	Beleuchtung	o	o
Zahlungssysteme	Abrechnungssysteme (MDB-S / DIVA2 / DIVA2 Max)	o	o
	Münz- und Jetonprüfer	o	o
	Münzwechsler	o	o
	Schaerer Coffee Link	o	o
Farben	Titansilber	s	s
	Schwarz	s	s
Dimensionen und Gewicht	Breite [mm]	346	346
	Tiefe [mm]	518	598
	Höhe [mm]	570	570
	Gewicht [kg] (netto)	25	33
Energieversorgung und -verbrauch	1L, N, PE: 220-240 V- 50/60 Hz	2000-2400 kW/10-16A/3 x 1mm ²	2800-3300 kW/16A/3 x 1,5mm ² 1800-2300 kW/10-16 A/ 3 x 1 mm ²
	1L, N, PE: 100 V- 50/60 Hz	1350kW/15 A/ 3 x 1,5mm ² or	570
		1350 kW/15 A/ 3 x 16 AWG	25
Wasserver- und -entsorgung	Interner Trinkwassertank	s	s
	Festwasseranschluss	s	s
	Schmutzwasserablauf	o	o
	Schmutzwassertank überwacht	o	o
	Aquachange	s	s

s: Standard
o: Option

Quality and choice.

Premium coffee-to-go experience thanks to freshly ground beans, fresh milk and a variety of specialties.

Customised design.

Developed to match your visual guidelines and to integrate in your decor and surroundings.



Schaerer Premium Coffee Corner.

Freshness on the go! A new paradigm in free standing.

The 1 m² personalised coffee shop.


A game-changing concept introducing fresh ingredients and a choice of top quality specialties for a premium coffee-to-go proposition.

Schaerer is proud to introduce its innovative stand-alone, self-service coffee bar offering a sophisticated café experience in only one square metre.

Schaerer Premium Coffee Corner uses

freshly ground beans and fresh milk.

Modular and entirely customisable both in terms of technical features and graphics, it fits any venue and adapts to your branding policy.





taste it & love it



On-the-go coffee-based specialties, Schaerer Premium Coffee Corner raises the standards for quality and taste.



The revolution of fresh ingredients.

The use of real, fresh milk managed by the integrated milk system, together with freshly ground coffee beans is certainly what makes Schaerer Premium Coffee Corner stand out. Quite unlike automatic self-serve machines, our Coffee Corner **is able to offer the entire range of coffee specialties one would normally find in top downtown coffee shops**, with the same level of quality.

Extend your business, boost your revenue.

Extend your opening hours to 24/7 and boost your revenue without compromising on quality or on your clients' satisfaction. **Reduce queuing during peak time** in your busy food outlet. **Uphold brand identity** with a clearly designed, superior proposition. Schaerer Premium Coffee Corner is ideal for food and coffee chains, single outlets, bars, shopping malls and all those public venues where top quality coffee-to-go is a welcome plus.



Ready-to-go: start now with a complete, turnkey unit.

Expand your business: this off-the-shelf configuration comes with an optimised selection of features and accessories, encased in an attractive housing unit and ready to start working for you 24/7.



Starring Schaerer's revolutionary **Best Foam™ technology** for incredibly smooth and silky foam, hot or cold, firm or soft, produced from fresh milk! The Schaerer Premium Coffee Corner includes a comprehensive set of technical features; efficient, state-of-the art grinder; **Uptime!** easy descaling system; large grounds cakes container; **10 litres fresh milk** single container; cashless payment unit. The housing unit comes in Schaerer's classic anthracite and red or white and red liveries.



Best Foam™ milk system produces the softest, most perfect foam, hot or cold, in different consistencies. Delight your customers with barista-level cappuccinos, lattes and many other specialties.



The extra wide 32" HD-touch screen is intuitive and easy to operate. The high-res graphics allow for the most attractive photo display of your specialties. The screen is also video enabled, providing an ideal space for promotion and advertising.

Ready-to-grow! The best all-round solution for your instant free-standing coffee bar. All set to start delivering 24/7. Be seen, be recognised, be ready to go!


Choose a design

Here in Schaerer's own design and branding with the anthracite and red or white and red liveries.



Rational, efficient and user-friendly

3-size cups dispenser, attractive 32" high res display, ease-of-use and a wide variety of top quality beverages made from fresh ingredients.



Easy maintenance.

Easily serviceable thanks to direct access to all internal parts from the front of the machine.

Show your colours.

A choice of colours, finishes and branding options to personalise your Schaerer Premium Coffee Corner.

Take your Schaerer Premium Coffee Corner one step further, turn it into an ambassador of your brand: choose the right colour mix, add logos and text. We can also design, produce and apply a film-wrap for a personalised total-look.


You can even select the casing's coating material, or its shape. Make it yours, we will produce your Schaerer Premium Coffee Corner to your specifications, ready to be installed and start working for you 24/7.

Need even more flexibility?

Your Schaerer sales representative is looking forward to discussing any ad-hoc individual customer solution with you, such as different machine layouts and integration into alternative housings.

Personalised solutions to turn your Schaerer Premium Coffee Corner into an effective promotional tool.



Your brand / Your colour



Your material



Your housing and shape



Offer all the variety you want.

Create your own Coffee Corner, add your mix of options and accessories

READY-TO-GO INSTALLED FEATURES:



10 litres fresh milk single container

Single container offering perfect storage conditions for maximum quality at all times.



Under-counter fridge

For best use of space and perfect freshness of ingredients.




Uptime! Descaling system

The innovative system preventing scale-related malfunctions and providing for automatic, easy descaling.



Best Foam™

Schaerer's patented system producing the softest, most perfect foam, hot or cold, in four different consistencies.



32" video-enabled HD-touch screen

The extra-wide, high-res user interface screen (1920x1820 pixel). Easy and intuitive to operate, it doubles as a useful screen to run video promotions and adverts.



Hot water and steam boilers

3 kW power each and a respective capacity of 0.8 l and 1.2 l.




16 g brewing unit

Made of totally neutral-tasting and high-quality materials for superb coffee.



2 kg grinder

Single, high-capacity precision grinder.



Bean/powder low-level sensor

Never run out and re-stock in good time.



Schaerer Coffee Link: your digital intelligence

Schaerer Coffee Link is a digital service platform providing a powerful, real-time tool for the monitoring and the optimisation of your coffee operation.

OPTIONAL FEATURES:



Up to 3 coffee blends and grinders

Offer the choice of up to three different coffee blends, each with its dedicated grinder.



Up to two powder containers

Add variety and flavour with **up to two 800 gram powder systems** for chocolate and milk-based specialties.



Hot & Cold

Serve cold beverages at peak quality: **coffee is brewed hot, then cooled automatically**, fully preserving intensity of taste and flavour.



Never run out of fresh milk

With **twice the capacity (2 x 10 litres)** and **back-up milk container** switching on automatically when low levels are detected.




30 g brewing unit

Nearly **twice the standard size**, ideal for large drinks (16 oz and up).



Waste water tank monitored

With up to 16l the monitored waste water tank offers sufficient capacity.




Flavour point

Fit a **4-syrups station** next to the milk unit for a top choice of flavours.




Utility

- Cup dispenser
- Napkin tray
- Lid tray
- General storage
- Waste bin



Front Illumination


An elegant feature making your coffee corner more attractive and comfortable to use in any light conditions.



Electronic payment solution


Can be prepared to handle most common cashless payment systems for maximum flexibility.

Configuration and technical data.




800 mm

2030 mm




966 mm



800 mm

966 mm



1270 mm

1442 mm

Floor area
occupied with
front door open:
1442 x 1270 mm.

Category	Equipment and options	Schaerer Premium Coffee Corner
Output per day	Recommended for an average daily requirement of	Up to 150 cups (autonomous)
Range of beverages	Espresso	s
	Coffee/café crème	s
	Cappuccino	s
	Hot water	s
	Ristretto	s
	Americano	o
	White Americano	o
	Milk coffee/latte	s
	Latte macchiato	s
	Chociatto	o
	Hot chocolate	o
	Flat white	s
	Instant (e.g. chai latte)	o
	Cold milk	s
	Hot milk	s
	Hot milk foam	s
	Cold milk foam	s
Operation and dispensing	Powder-based beverages	o
	Syrup-flavoured beverages	o
	HD Touch Screen 32"	s
	Self-service mode	s
	Number of beverages possible (programmable)	>100
	Brewing unit 16g	s
	Brewing unit 30g	o
	Hot water & steam boiler 0.8l, 3 kW & 1.2l, 3 kW	s
Milk systems	Hot water & steam boiler 0.8l, 2 kW & 1.2l, 2 kW	o
	Flavour point - 4x syrup with empty sensor	o
	BestFoam™	s
Powder system	Single milk, 1 x 10 l container	s
	Backup milk, 2 x 10 l containers	o
Grinders and containers	1 x 0.8 kg	o
	2 x 0.8 kg	o
	1 x 2 kg right	s
	2 x 2 kg left/right	o
Other options	2 x 2 kg left/right - 1 x 1.3 kg front	o
	Grounds container 150 pieces	s
	Brewing accelerator (bypass)	o
	Manual outlet adjusting (mm)	80-195
	Hot & Cold	o
	Bean/powder low level sensor package	s
	Descaling system Uptime!	s
	Schaerer Coffee Link	s
	Fridge under-counter	s
	Door lock manual	s
	Cup dispenser (3x)	o
	Lid/napkin tray (1x or 2x)	o
	General storage (sugar/stirrer - 3x)	o
	Waste bin	o
Colour and Branding	Front panel illumination	o
	Electronic payment solutions: cashless only	o
	Standard unit colour	RAL 7021
	Standard shelf colour	Cherry 400 or Graphite 9070
	Other shelf colour	o
Dimensions coffee machine	Standard Schaerer foil design: white and red or anthracite and red	o
	Customizable foil design	o
	Width (mm)	800
	Width with door open (mm)	1270
	Depth (mm)	966
	Height (mm)	2030
Energy supply and power	Height without topper (mm)	1870
	Weight (kg) (fully equipped)	345
Water supply and disposal	2L, PE, 230: VAC, 16 A	s
	2 x 2kW	o
	Mains water supply	s
	Water tank with FLOJET (retrofitting set)	o
	Waste water outlet	s
	16l waste water tank monitored	o

-: Not available

s: Standard

o: Option



We love it *your way.*



Coffee competence

Our long established Coffee Competence is at your service, just call on us for any advice.



Flexibility

We support your business through our flexible offer, because we love it your way.



Swiss

As a Swiss technology company, we commit to impeccable quality and performance.

Headquarters

Schaerer Ltd.

Allmendweg 8
4528 Zuchwil
Switzerland
info@schaerer.com

Discover the worldwide Schaerer network and our comprehensive coffee expertise no matter where you are! With subsidiaries and partners in more than 70 countries in Europe, America, Africa, Asia and the Pacific region.

Find a contact near you:
[schaerer.com](https://www.schaerer.com)

Schaerer – a Groupe SEB Company

Compact with an impact

Small, yet elegant and packed with technology for a premium coffee-break experience.

Intuitive and easy!

Vertical 7" TouchIT display. Swipe up and down to select your favourite beverage in an instant.




Schaerer Coffee Club.

*Your entry level machine to the world of professional coffee making.
A top performer with reduced dimensions, it easily integrates into any environment.*

Standard equipment, options, accessories.

STANDARD EQUIPMENT:



7" TouchIT display

Easy and intuitive user interface. Swipe vertically to browse through options. **Animated display supports maintenance and service operations.**



1 Grinder and 1 bean hopper

The decoupled grinder mated to the 550 g bean hopper considerably **limits vibrations and noise.**



SteamIT

A controlled burst of steam to **heat cup** to the right temperature.



Hot water outlet

For **perfect tasting teas** and other non-coffee beverages.



Cup tray

Fold-out cup tray integrated into the grounds disposal unit.

OPTIONAL FEATURES:



Drinking water tank

4.5 l fresh water tank **with level sensor.**



Integrated grounds container

For **up to 30 grounds cakes** and a tidy workstation at all times.



Powersteam

For **manual milk heating** and foaming.



Milk Smart milk system

For the preparation of high quality coffee and **milk specialities and milk foam.**



Powder system


Integrated **700 g powder container** for chocolate or topping powder.



Schaerer Coffee Link: your digital intelligence

Schaerer Coffee Link is a digital service platform providing a powerful, real-time tool for **the monitoring and the optimisation of your coffee operation.**

OPTIONAL FEATURES:




Powder container extension

For a total capacity of **2200 g**.



Second grinder

With integrated bean hopper holding **550 g** of coffee beans.



Mains water kit

For **easy connection** to water mains.



Bean hopper extension

Extending hopper capacity **from 550 g to 1100 g**.



Twin powder container

Two separate and lockable containers of **1000 g each**.

ACCESSORIES:



Supersteam

Fully automatic milk heating and foaming. Foam temperature and consistency can be memorised. Ideal for small quantities/single cups.



Under-counter grounds

Under counter container can be **easily installed** with simple machine modification.



Cooling unit left 3.5 l

Cooling unit is positioned on the left-hand side of the machine, with a **capacity of 3.5 l**.



Additional cooling unit, 3.5 l, digital thermostat

The additional cooling unit can also feature a **digital thermostat for precise control**. NB required depth for machine + cooling unit combination is **631 mm** instead of 570 mm for machine only.

Configuration and technical data.




Alternative 1

1 grinder, internal fresh water tank, milk powder system, hot water




Alternative 2

1 grinder, 1 powder system, internal fresh water tank, Milk Smart, hot water, Powersteam, cooling unit left



Side cooling unit left
Depth: 469 mm



Schaerer Coffee Club
Depth: 570 mm

Category	Equipment and options	Schaerer Coffee Club
Output per day	Recommended for an average daily requirement of	80
Range of beverages	Ristretto	s
	Espresso	s
	Coffee/café crème	s
	Small pot (250 ml)	s
	Milk coffee/latte	s
	Cappuccino	s
	Latte macchiato	s
	Chociatto	o
	Hot milk	s
	Hot milk foam	s
	Hot water	s
	Steam	o
	Powder-based beverages	o
Operation and dispensing	Self-service mode	s
	Number of beverages possible (programmable)	40
	Fixed outlet height	175
	Cup platform can be adjusted manually	s
	Separate hot water dispensing	s
	Single outlet (only milk)	s
	Barista key	s
	Adjustment of the beverage size	s
Grinders and containers Milk Smart (MS)	1 grinder	s
	2 grinders	o
	Bean hopper [g]	550
	Bean hopper extension [g]	1100
	Ground coffee inlet	s
Boilers	Hot water boiler for coffee	s
	Steam boiler	s
	Brewing unit (PL=Plastic / HD=Heavy Duty)	PL
Milk systems and cooling unit	Milk Smart (MS)	o
	Side-cooling unit on left (BKE)	o
Powder system	Powder container [g]	700
	Container extension [g]	2200
	Twin powder container [g]	2 x 1000
	Topping (1x Topping powder), e.g. milk powder	o
	Chocolate (1 x Choco powder)	o
	Choco/Topping (1x Choco powder and 1x Topping powder)	o
Steam	Powersteam	s
	Supersteam	o
Other options	Steam/T cup warmer	s
	Grounds container [coffee grounds cake]	30
	Undercounter grounds disposal	o
	Lighting	s
Payment system	Payment Systems (MDB-S/DIVA2/DIVA2 Max)	o
	Coin & token tester	o
	Coin changer	o
	Schaerer Coffee Link	o
Colours	Black	s
Dimensions coffee machine	Width [mm]	325
	Depth [mm]	570
	Height	501 (556 with bean hopper extension and lock)
	Weight [kg] (net)	25,5
Energy supply and power	1/N/PE 220-240V / 1,9 - 2,3 kW 50/60HZ	1700 - 2300 kW / 10 - 16 A / 3 x 0.75 mm² or 3 x 1 mm²
Water supply and disposal	Internal drinking water tank [l]	4,5
	Mains water supply with mains water kit	o

s: Standard
o: Option

*A new design, two models
and three user interfaces.*

Adaptable to your individual needs, with a choice of graphical
user interfaces and a wealth of modular features.

*Amazing variety of beverages
and guaranteed performance.*

Consistent quality and output guaranteed across your
entire personalised selection of specialties.



Schaerer Coffee Soul.

Create your machine. Offer your choice.

Choose your colours.

*Match your Schaerer Coffee Soul to your location and style.
Add a touch of character by choosing between the different available
colours and make it stand out as the real star of the house!*



Select your technical features.

Make it work for you: create your own configuration with smart and perfectly adapted accessories for every scenario.



Integrated grounds container

It can hold up to 550 g of grounds and is completely integrated in the machine, so there's **no mess around your coffee station!**



Cup positioning

A clearly visible, coloured cup positioning aid clips on to the cup tray for **correct positioning, for single and double dispensing**. Particularly suited for self-service operation.



Best Foam™

The patented Best Foam™ technology brought coffee-making to quality levels only a seasoned barista can achieve. Hot or cold, **with a choice of different, programmable consistencies**.



10.4" screen

Featured on Coffee Soul 10, it comfortably accommodates the **"staff mode" Graphical User Interface** for efficient touch-screen operation, as well as key service processes support animations.



Powder container

Add a powder container for chocolate, powdered milk or other ingredients. You **can also fit a twin topping container** to store two different toppings.




Additional bean hoppers and grinders

Increase the choice of coffee blend varieties on offer: install up to three 1200 g bean hoppers (instead powder). Match with up to three high-precision, slow running grinders.



Additional hot water outlet

In addition to the central outlet, a separate hot water outlet, positioned on the left-hand side, is available as an option. Ideal for tea and other beverages, it operates independently. Both outlets can also work simultaneously depending on the configuration.



Additional water for Americano

A separate hot water dispenser can be fitted inside the central outlet for the preparation of perfect Americanos.



Schaerer Coffee Link: your digital intelligence

Schaerer Coffee Link is a digital service platform providing a powerful, real-time tool for the monitoring and the optimisation of your coffee operation.



12.1" video-enabled screen

Featured on Coffee Soul 12, **perfect for the "Guest mode" and "frequent user mode"** Graphical User Interfaces. Video-enabled and high-res, it can run effective and attractive promotions.



Hot & Cold

Serve cold beverages at peak quality: **Coffee is brewed hot, then cooled automatically** to be served with or without ice, fully preserving intensity of taste and flavour.



Automatic or manual adjustable outlet

Outlet height can be adjusted, manually or automatically, **according to the cup-size used for the specific beverage** being prepared. Height varies from 65 to 185 mm.



Uptime! Descaling system

Prevents scale-related malfunctions by alerting you when it senses that descaling is needed. The effortless, efficient automatic process can be performed with **no interruption of service**.



Second and third boiler

Up to three Chromium-steel boilers can be fitted for increased flexibility: **hot water, steam and coffee can be dispensed separately and simultaneously at different temperatures**, delivering peak quality on all different beverages.



Never run out of fresh milk

With **back-up milk container** switching on automatically when low levels are detected.



Cooling unit positioning

On either **side of the machine**, or **under** it to save precious space, or even **under the counter** with increased capacity. Also, a single **central** unit can serve two separate machines.



Lockable

Front panel, cooling unit, beans and powder containers can be locked to ensure total safety and peace of mind. **Particularly suited for self-service scenarios**.



Flavour point

Open up a whole new world of possibilities with a choice of **up to four syrups** with the under-counter Flavour Point syrup station. Add variety, create new flavour-packed recipes and broaden your offer to your customers.

Category	Equipment and options	Schaerer Coffee Soul 10 and 12
Output per day	Recommended for an average daily requirement of	Up to 250
Range of beverages	Espresso	s
	Coffee/café crème	s
	Cappuccino	o
	Hot water	s
	Ristretto	s
	Small pot (250 ml)	s
	Pot (500 ml)	s
	Americano	o
	White Americano	o
	Milk coffee/latte	o
	Latte macchiato	o
	Espresso macchiato	o
	Chociatto	o
	Hot chocolate	o
	Flat white	o
	Instant (e.g. chai latte)	o
	Cold milk	o
	Hot milk	o
	Hot milk foam	o
	Cold milk foam	o
	Steam	o
	Powderbased beverages	o
Operation and dispensing	10.4" or 12.1" screen Touch User Interface	s
	3 different operation modes: guest (self-service), frequent user (quick self-service), staff (operated)	s
	Number of beverages possible (programmable)	> 100
	Outlet height can be adjusted manually (mm)	65–185
	Touchless Outlet	o
	Hot water dispensing: central or left	s
	Additional water (Americano)	o
	Single outlet	s
	Double outlet	s
	Steam wand (Auto, Power or Supersteam)	o
Grinders and containers	Barista key	s
	1 grinder	s
	2 grinders	o
	3 grinders (instead of powder system)	o
	Bean hopper [g]	± 1200
Boilers	Ground coffee inlet	s
	one hot water boiler for coffee / tea	s
	two hot water boiler for coffee and tea (simultaneous)	o
Milk systems	Steam boiler	o
	Best Foam™	o
	Side cooling unit on right or left	o
	Under-counter	o
	Twin Milk	o
Powder system	Backup Milk	o
	Powder container [g] [ml]	2000/2750
	Chocolate (1 x Choco powder)	o
Other options	Twin Powder	o
	Brewing accelerator	o
	Grounds container [coffee grounds cake]	550 gr
	Undercounter grounds disposal	o
	High feet (40 mm)	o
	Schaerer Coffee Link	s
	Hot & Cold	o
Colours	Flavour point (UC)	o
	Copper glossy, Red silky glossy, Black glossy, Brown silky gloss, Green silky gloss	s
Dimensions coffee machine	Special colour	on request
	Width [mm]	330
	Depth [mm]	576
	Height [mm]	730
Energy supply and power	Weight [kg] (net)	Approx. 55
	1L, N, PE: 220 – 240 V– 50/60 Hz	2000 – 2400 W, 10 A, 3 x 1 m ²
		3000 – 3600 W, 16 A, 3 x 1.5 mm ²
		6000 – 7000 W, 30 A, 3 x 4 mm ²
		1800 – 2200 W, 10 A, 3 x 1 mm ²
	2L, PE: 200 – 220 V 2– 50/60 Hz	2600 – 3200 W, 15 A, 3 x 1.5 mm ²
		4700 – 5800 W, 30 A, 3 x 4 mm ²
Water supply and disposal	3L, N, PE: 380 – 415 V 3N– 50/60 Hz	5700 – 6400 W, 16 A, 5 x 1.5 mm ²
	3L, PE: 200 – 220 V 3– 50/60 Hz	8700 – 10300 W, 16 A, 5 x 1.5 mm ²
	Mains water supply	4700 – 5800 W, 25 A, 4 x 2.5 mm ²
	Waste water outlet	s
	External container for fresh and waste water	o

s: Standard

o: Option