WEGA COLLECTION

LI-18 GB REV.000

WELCOME TO THE WORLD OF WEGA



WEGA ENERGIA

URBAN 4
MY CONCEPT 6

WEGA FORZA

SPHERA 12
POLARIS 14

WEGA PUREZZA

VELA VINTAGE 22
MININOVA CLASSIC 24

WEGA IO

IO 30

WEGA SEMPLICITÀ

ATLAS 34
ORION GOLD 36

WEGA MACINADOSATORI

COFFEE GRINDERS 44
INSTANT COFFEE GRINDERS 45

WEGA ACCESSORI

SMART WATER FILTRATION SYSTEM 48
CLEANING PRODUCTS 49

WEGA®
MACCHINE PER CAFFÈ

WEGA
ENERGIA

URBAN

EVD ELECTRONIC COFFEE MACHINE.

- New steam tap with dedicated knob with 90° rotation for quick and easy selection of off and on.
- Dry steam function for the ultimate foam.
- Service boiler boost function for busy periods to guarantee even better performance.
- Ability to connect directly to Customer Service.
- Optional pre-order of Wi-Fi management packet to allow remote control (from laptop, tablet, smartphone) of all machine functions and settings.
- Accurate temperature monitoring of electronic components for accurate, real-time diagnostics.
- Enhanced thermoregulators with high resolution PWM for precision temperature control.
- Separated hydraulic circuit to maintain consistent pressure as coffee is dispensed.
- 5" interactive capacitive touchscreen display positioned flush with the control panel with a protective tempered glass cover.
- "Mobile-like" interface
- Instant upload of photos and images to the machine's display. Users can personalise their machine in just a few simple steps.
- Shot counter.
- Option of lowering 122mm raised groupheads to 82mm at any time using a stainless steel pull-out grid.
- Easy-to-use tutorials



AVAILABLE COLOURS

GREY H368

TOTAL MATT BLACK

TECHNICAL CHARACTERISTICS

GROUPS		2	3	4
Voltage	V	230-400 / 240-415	230-400 / 240-415	230-400 / 240-415
Total rated power	W	4.000 / 4.790	5.600 / 6.100	7.100 / 7.730
Power per group	W	150 x 2 / 165 x 2	150 x 3 / 165 x 3	150 x 4 / 165 x 4
Power of coffee water tank element for each group	W	1.000 x 2 / 1.090 x 2	1.000 x 3 / 1.090 x 3	1.000 x 4 / 1.090 x 4
Steam boiler power	W	3.000 / 3.270	3.000 / 3.270	5.000 / 5.445
Steam boiler capacity	Lt / US gal	8 / 2.11	13 / 3.43	13 / 3.43
Coffee water reservoir capacity	Lt / US gal	(1,2 / 0.32) x 2	(1,2 / 0.32) x 3	(1,2 / 0.32) x 4
Width	L = cm / in	80 / 31.50	104 / 40.95	128 / 50.40
Depth	P = cm / in	60 / 23.63	60 / 23.63	60 / 23.63
Height	H = cm / in	59 / 23.23	59 / 23.23	59 / 23.23
Net weight	kg / lb	95 / 209	117 / 257.4	142 / 312.4
Gross weight	kg / lb	105 / 231	129 / 283.9	157 / 345.4
Packed volume	m3 / ft	0,4472 / 15.791	0,5678 / 20.049	0,6935 / 24.488

TOTAL MATT BLACK

MY CONCEPT

ELECTRONIC ENERGY-SAVING COFFEE MACHINE WITH BOILER AND INDEPENDENT GROUPS.

- 5'' capacitive screen with "mobile like" interface.
- SKIN, slide show and start logo customization.
- Choice of SKINS from Cloud library.
- A personalized menu, allows you to select command signals from one to six selections.
- Instant upload of images via a USB port.
- The possibility to memorize the specific extraction settings, of a particular coffee blend or single origin, in order to be able to re-access the memorized parameters, at a later date.
- Each group is completely independent: whereby it is possible to memorize preferences and combinations, for simultaneous selection by different operators.
- Possibility to change the coffee drop height (spout tip to lower grid) from 122mm to 82mm any time, thanks to a robust stainless steel pull out grid.
- Predictive ECO mode that analyzes data from all cycles made.
- ON, STAND BY and OFF selected by the device based on the best energy strategy. All this can also be set manually through the intuitive touch display!
- Pre-setting of optional functions, for managing the Wi-Fi package, allowing control in remote mode (from laptop, tablet, and smartphone) of all machine programming and functions.



AVAILABLE COLOURS


TOTAL WHITE

TOTAL MATT BLACK

TECHNICAL CHARACTERISTICS

GROUPS		2	3	4
Voltage	V	230 - 400 / 240 - 415	230 - 400 / 240 - 415	230 - 400 / 240 - 415
Total Power	W	4.000 / 4.790	5.600 / 6.100	7.100 / 7.730
Power per group	W	150 x 2 / 165 x 2	150 x 3 / 165 x 3	150 x 4 / 165 x 4
Power of coffee water tank element	W	1.000 x 2 / 1.090 x 2	1.000 x 3 / 1.090 x 3	1.000 x 4 / 1.090 x 4
Steam boiler power	W	3.000 / 3.270	3.000 / 3.270	5.000 / 5.445
Steam boiler	Lt / US gal	8 / 2.11	13 / 3.43	13 / 3.43
Coffee water reservoir	Lt / US gal	(1,2 / 0.32) x 2	(1,2 / 0.32) x 3	(1,2 / 0.32) x 4
Width	L = cm / in	80 / 31.50	104 / 40.95	128 / 50.40
Depth	P = cm / in	60 / 23.63	60 / 23.63	60 / 23.63
Height	H = cm / in	59 / 23.23	59 / 23.23	59 / 23.23
Net Weight	kg / lb	95 / 209	117 / 257.4	142 / 312.4
Gross Weight	kg / lb	105 / 231	129 / 283.8	157 / 345.4
Packed Volume	m^3 / ft^3	0,4472 / 15.791	0,5678 / 20.049	0,6935 / 24.488

TOTAL WHITE

TOTAL MATT BLACK

EVD GREY H368

EVD Electronic coffee machine – GREY H368

Model	Groups	LxPxH (cm)	Lt.	Weight (Kg)	Voltage (V)	Power (W)	(Euro)
EVD2UR	2	80x60x59	8	95 105	230/400 – 240/415	4.000 / 4.790	11.881,80
EVD3UR	3	104x60x59	13	117 129	230/400 – 240/415	5.600 / 6.100	14.986,80
EVD4UR	4	128x60x59	13	142 157	230/400 – 240/415	7.100 / 7.730	18.371,25

EVD TOTAL MATT BLACK

EVD Electronic coffee machine – TOTAL MATT BLACK

Model	Groups	LxPxH (cm)	Lt.	Weight (Kg)	Voltage (V)	Power (W)	(Euro)
EVD2UR	2	80x60x59	8	95 105	230/400 – 240/415	4.000 / 4.790	11.881,80
EVD3UR	3	104x60x59	13	117 129	230/400 – 240/415	5.600 / 6.100	14.986,80
EVD4UR	4	128x60x59	13	142 157	230/400 – 240/415	7.100 / 7.730	18.371,25

SMART Water Filtration System

Model	Height (cm)	Lt.	(Euro)
KIT 20	38,3	2.700	177,16
KIT 25	38,3	3.800	210,12
KIT 30	43,5	5.800	266,67

Model	Height (cm)	Lt.	(Euro)
KIT 35	46,0	7.800	311,94
KIT TEST	5,5	0,01	45,95

Extra

Code	Description	(Euro)
EX08	Autosteamer My Concept 2, 3, 4 gr.	1.198,80

Code	Description	(Euro)
EX15	Wi - Fi package pre-setting and management	319,82

Accessories

Code	Description	(Euro)
AC28	Milkfrother	315,25

Code	Description	(Euro)
AM08	Manual water softener 8 lt.	162,33
AM12	Manual water softener 12 lt.	185,52
AM16	Manual water softener 16 lt.	204,83

MY CONCEPT | PRICE LIST

EVD TOTAL MATT BLACK

EVD Electronic coffee machine - TOTAL MATT BLACK

Model	Groups	LxPxH (cm)	Lt.	Weight (Kg)	Voltage (V)	Power (W)	(Euro)
EVD2BMYCO	2	80x60x59	8	95 105	230/400 - 240/415	4.000 / 4.790	11.881,80
EVD3BMYCO	3	104x60x59	13	117 129	230/400 - 240/415	5.600 / 6.100	14.986,80
EVD4BMYCO	4	128x60x59	13	142 157	230/400 - 240/415	7.100 / 7.730	18.371,25

EVD TOTAL WHITE

EVD Electronic coffee machine - TOTAL WHITE

Model	Groups	LxPxH (cm)	Lt.	Weight (Kg)	Voltage (V)	Power (W)	(Euro)
EVD2WMYCO	2	80x60x59	8	95 105	230/400 - 240/415	4.000 / 4.790	11.881,80
EVD3WMYCO	3	104x60x59	13	117 129	230/400 - 240/415	5.600 / 6.100	14.986,80
EVD4WMYCO	4	128x60x59	13	142 157	230/400 - 240/415	7.100 / 7.730	18.371,25

SMART Water Filtration System

Model	Height (cm)	Lt.	(Euro)
KIT 20	38,3	2.700	177,16
KIT 25	38,3	3.800	210,12
KIT 30	43,5	5.800	266,67

Model	Height (cm)	Lt.	(Euro)
KIT 35	46,0	7.800	311,94
KIT TEST	5,5	0,01	45,95

Extra

Code	Description	(Euro)
EX03	Approval UL\C-UL	746,66
EX04	Approval ETL NSF4	746,66

Code	Description	(Euro)
EX08	Autosteamer My Concept 2, 3, 4 gr.	1.198,80
EX15	Wi - Fi package pre-setting and management	319,82

Accessories

Code	Description	(Euro)
AC28	Milkfrother	315,25

Code	Description	(Euro)
AM08	Manual water softener 8 lt.	162,33
AM12	Manual water softener 12 lt.	185,52
AM16	Manual water softener 16 lt.	204,83

SPHERA

EVD ELECTRONIC COFFEE MACHINE.
- 6 programmable doses per group with manual brewing button.
- Two steam wands with slide lever control taps.
- Temperature controlled hot water supply.
- Electronically controlled cup warmer, autolevel and volumetric pump.
- Multifunction alphanumeric display.

EPU SEMI-AUTOMATIC COFFEE MACHINE WITH ELECTROMECHANICAL PUSH BUTTONS.
- Two steam wands with slide lever control taps.
- Hot water supply.
- Electric cup warmer, autolevel and volumetric pump..

AVAILABLE COLOURS

RAL 9010 WHITE

705 TROPHY BROWN

TECHNICAL CHARACTERISTICS

GROUPS		2	3	4
Voltage	V	120*/230-240-400	230-240-400	230-240-400
Power	W	3.250*/3.970/4.350	5.650/6.150	6.700/7.300
Boiler	Lt / US gal	12 / 3.17	17 / 4.49	22 / 5.81
Width	L = cm / in	72 / 28.35	96 / 37.80	120 / 47.24
Depth	P = cm / in	56 / 22.05	56 / 22.05	56 / 22.05
Height	H = cm / in	53 / 20.87	53 / 20.87	53 / 20.87
Net Weight	kg / lb	68 / 150	85 / 187	106 / 234
Gross Weight	kg / lb	78 / 172	98 / 216	122 / 269
Packed Volume	m^3 / ft^3	0,459 / 16.21	0,570 / 20.13	0,700 / 24.72

EVD

EPU

POLARIS

EVD *
ELECTRONIC COFFEE MACHINE.
- Four programmable doses per group, with manual brewing button.
- Two stainless steel steam wands with lever control.
- Hot water tap with programmable electronic dosing.
- Autolevel and built in volumetric pump.
- Automatic group washing cycle.
- Lighting of the side panels with white LEDs as standard.
- Work area LED downlighters as standard (2, 3 gr.).

* One group model has only one steam wand.

EVD - COMPATTA
ELECTRONIC TWO GROUPS COMPACT COFFEE MACHINE.
- Four programmable doses per group, with manual brewing button.
- Two stainless steel steam wands with lever control.
- One manual hot water tap.
- Autolevel and volumetric pump.
- Lighting of the side panels with white LEDs as standard.

EPU
SEMI-AUTOMATIC COFFEE MACHINE WITH ELECTROMECHANICAL PUSH BUTTONS.
- Two stainless steel steam wands with lever control.
- One manual hot water tap.
- Autolevel and built in volumetric pump.
- Lighting of the side panels with white LEDs as standard.
- Work area LED downlighters as standard (2, 3 gr.).

EPU - COMPATTA
SEMI-AUTOMATIC COMPACT COFFEE MACHINE WITH ELECTROMECHANICAL PUSH BUTTONS.
- Two stainless steel steam wands with lever control.
- One manual hot water tap.
- Autolevel and volumetric pump.
- Lighting of the side panels with white LEDs as standard.

AVAILABLE COLOURS

CHROME

MATT BLACK

BROWN

TECHNICAL CHARACTERISTICS

GROUPS		1	2	3	COMP.
Voltage	V	120*/230-240-400	120*/ 230-240-400	230-240-400	120*/ 230-240-400
Power	W	2.300*/ 3.000 / 3.300	2.900* / 3.700 / 4.000	5.300 / 5.800	2.900* / 2.900 / 3.100
Boiler	Lt / US gal	5 / 1.32	12 / 3.17	17 / 4.49	7 / 1.85
Width	L = cm / in	54 / 21.26	75 / 29.53	99 / 38.98	54 / 21.26
Depth	P = cm / in	57 / 22.44	57 / 22.44	57 / 22.44	57 / 22.44
Height	H = cm / in	54 / 21.26	54 / 21.26	54 / 21.26	54 / 21.26
Net Weight	kg / lb	68 / 149.90	74 / 163.20	92 / 202.90	73 / 161
Gross Weight	kg / lb	77 / 169.80	84 / 185.20	104 / 229.30	82 / 180.80
Packed Volume	m^3 / ft^3	0,340 / 12.07	0,450 / 15.79	0,570 / 20.05	0,340 / 12.07

EVD TRON DISPLAY

EPU

EVD | RAL 9010 | 705 TROPHY

EVD Electronic coffee machine

Model	Groups	LxPxH (cm)	Lt.	Weight (Kg)	Voltage (V)	Power (W)	(Euro)
EVD2SP	2	72x56x53	12	68 78	120*/230-240-400	3.250* / 3.970 / 4.350	7.269,19
EVD3SP	3	96x56x53	17	85 98	230-240-400	5.650 / 6.150	8.504,86
EVD4SP	4	120X56X53	22	106 122	230-240-400	6.700 / 7.300	10.692,24

EVD | RAL 9010 | 705 TROPHY

EVD Electronic coffee machine - Raised groups

Model	Groups	LxPxH (cm)	Lt.	Weight (Kg)	Voltage (V)	Power (W)	(Euro)
EVD2SPH	2	72x56x53	12	68 78	120*/230-240-400	3.250* / 3.970 / 4.350	7.684,86
EVD3SPH	3	96x56x53	17	85 98	230-240-400	5.650 / 6.150	8.920,54
EVD4SPH	4	120X56X53	22	106 122	230-240-400	6.700 / 7.300	11.107,92

EPU | RAL 9010 | 705 TROPHY

EPU Semi-automatic coffee machine

Model	Groups	LxPxH (cm)	Lt.	Weight (Kg)	Voltage (V)	Power (W)	(Euro)
EPU2SP	2	72x56x53	12	68 78	120*/230-240-400	3.250* / 3.970 / 4.350	5.538,69
EPU3SP	3	96x56x53	17	85 98	230-240-400	5.650 / 6.150	6.503,88
EPU4SP	4	120x56x53	22	106 122	230-240-400	6.700 / 7.300	8.115,50

SMART Water Filtration System

Model	Height (cm)	Lt.	(Euro)
KIT 20	38,3	2.700	177,16
KIT 25	38,3	3.800	210,12
KIT 30	43,5	5.800	266,67

Model	Height (cm)	Lt.	(Euro)
KIT 35	46,0	7.800	311,94
KIT TEST	5,5	0,01	45,95

Extra

Code	Description	(Euro)
EX02	Approval TUV GS	332,18
EX03	Approval UL\C-UL	746,66
EX11	Autosteamer Sphera (2, 3, 4 gr EVD)	630,43

Accessories

Code	Description	(Euro)
AC01	Gas system	156,53
AC02	Built in motor pump	112,09
AC06	Electric cup warmer	108,28
AC28	Milkfrother	315,25

Code	Description	(Euro)
AC30	Work area LED downlighters	183,49
AM08	Manual water softener 8 lt.	162,33
AM12	Manual water softener 12 lt.	185,52
AM16	Manual water softener 16 lt.	204,83

EVD CHROME MATT BLACK 705 TROPHY

EVD Electronic coffee machine

Model	Groups	LxPxH (cm)	Lt.	Weight (Kg)	Voltage (V)	Power (W)	(Euro)
EVD1PR	1	54x57x54	5	68 77	120*/ 230-240-400	2.300*/ 3.000 / 3.300	4.706,76
EVD2PR	2	75x57x54	12	74 84	120*/ 230-240-400	2.900*/ 3.700 / 4.000	6.204,70
EVD3PR	3	99x57x54	17	92 104	230-240-400	5.300 / 5.800	7.317,96

EVD CHROME MATT BLACK 705 TROPHY

EVD Electronic coffee machine - Raised groups

Model	Groups	LxPxH (cm)	Lt.	Weight (Kg)	Voltage (V)	Power (W)	(Euro)
EVD2PRH	2	75x57x54	12	74 84	120*/ 230-240-400	2.900*/ 3.700 / 4.000	6.615,53
EVD2CPRH	2	54x57x54	7	73 82	120*/ 230-240-400	2.900*/ 2.900 / 3.100	6.133,09
EVD3PRH	3	99x57x54	17	92 104	230-240-400	5.300 / 5.800	7.728,79

EVD CHROME MATT BLACK 705 TROPHY

EVD COMPATTA Electronic coffee machine

Model	Groups	LxPxH (cm)	Lt.	Weight (Kg)	Voltage (V)	Power (W)	(Euro)
EVD2CPR	2	54x57x54	7	73 82	120*/230-240-400	2.900*/ 2.900 / 3.100	5.722,26

EPU CHROME MATT BLACK 705 TROPHY

EPU Semi-automatic coffee machine

Model	Groups	LxPxH (cm)	Lt.	Weight (Kg)	Voltage (V)	Power (W)	(Euro)
EPU2PR	2	75x57x54	12	74 84	120*/230-240-400	2.900*/ 3.700 / 4.000	5.279,27
EPU3PR	3	99x57x54	17	92 104	230-240-400	5.300 / 5.800	6.233,49

EPU CHROME MATT BLACK 705 TROPHY

EPU COMPATTA Semi-automatic coffee machine

Model	Groups	LxPxH (cm)	Lt.	Weight (Kg)	Voltage (V)	Power (W)	(Euro)
EPU2CPR	2	54x57x54	7	73 82	120*/ 230-240-400	2.900*/ 2.900 / 3.100	4.742,70

SMART Water Filtration System

Model	Height (cm)	Lt.	(Euro)
KIT 20	38,3	2.700	177,16
KIT 25	38,3	3.800	210,12
KIT 30	43,5	5.800	266,67

Model	Height (cm)	Lt.	(Euro)
KIT 35	46,0	7.800	311,94
KIT TEST	5,5	0,01	45,95

Extra

Code	Description	(Euro)
EX02	Approval TUV GS	332,18
EX03	Approval UL\C-UL	746,66
EX04	Approval ETL4	746,66
EX01	Polaris Tron Display (for 2, 3 gr. EVD)	568,37

Code	Description	(Euro)
EX07	Extra Chrome version	565,80
EX08	Autosteamer Polaris (for 2, 3 gr. EVD Tron)	1.198,80
EX12	Lighting of the side panels with RGB LED	480,07
EX13	Special offer: Chrome version + Lighting of the side panels with RGB LED	886,35

Accessories

Code	Description	(Euro)
AC01	Gas system *	156,53
AC06	Electric cup warmer 2, 3 groups	108,28
AC28	Milkfrother	315,25

Code	Description	(Euro)
AM08	Manual water softener 8 lt.	162,33
AM12	Manual water softener 12 lt.	185,52
AM16	Manual water softener 16 lt.	204,83

* 1,2,3 groups, available only for machines without white LED lights on side panels, without "tron" and only with external motor-driven pump

WEGA
PUREZZA
いただきま
ぞお召し
GREEN PRI

VELA VINTAGE

EMA SEMI AUTOMATIC MECHANICAL LEVER OPERATED COFFEE MACHINE.

- Groupheads set at standard height (82 mm).
- Two polished stainless steel wands, with retro style knobs.
- One manual hot water tap.
- Electric cup warmer.
- Autolevel.
- To enhance the purism that distinguishes the style of this machine, new wooden finishes were created for: water knob, steam knob, filter carrier and levers.

ALE SEMI AUTOMATIC COFFEE MACHINE WITH LEVER GROUPS.

- Groupheads set at standard height (82 mm).
- Two polished stainless steel wands, with retro style knobs.
- One manual hot water tap.
- Electric cup warmer.
- Autolevel.
- To enhance the purism that distinguishes the style of this machine, new wooden finishes were created for: water knob, steam knob, filter carrier and levers.
- A new user-friendly and easy to maintain dispensing unit has been designed. Its thermal technical features guarantee that the very best is drawn from every coffee mixture.
- The machine is now pre-set for connecting an external cup warmer.
- External motor-driven pump on request.

AVAILABLE COLOURS

CHROME

RAL 1035

SAND

TECHNICAL CHARACTERISTICS

GROUPS		2	3	4
Voltage	V	120*/230-240-400	230-240-400	230-240-400
Power	W	3.100*/ 3.900 / 4.200	5.550 / 6.000	6.600 / 7.200
Boiler	Lt / US gal	12 / 3.17	17 / 4.49	22 / 5.81
Width	L = cm / in	77 / 27.56	101/ 39.76	125 / 49.21
Depth	P = cm / in	56 / 22.04	56 / 22.04	56 / 22.04
Height	H = cm / in	58 / 22.80	58 / 22.80	58 / 22.80
*Height max	H = cm / in	80 / 31.50	80 / 31.50	80 / 31.50
Net Weight (EMA)	kg / lb	71 / 156	90 / 198	110 / 242
Gross Weight (EMA)	kg / lb	81 / 178	105 / 231	130 / 286
Net Weight (ALE)	kg / lb	78 / 171.96	101,5 / 223.77	125 / 275.58
Gross Weight (ALE)	kg / lb	88 / 194.01	106,5 / 234.79	145 / 319.67
Packed Volume	m^3 / ft^3	0,459 / 16.20	0,583 / 20.58	0,712 / 25.14

** Maximum height with lever mounted on group*

VELA VINTAGE

EMA

ALE

MININOVA CLASSIC

EMA MININOVA CLASSIC (GROUP 1)
SEMI AUTOMATIC MECHANICAL LEVER OPERATED ESPRESSO COFFEE MACHINE.

- An individual visible unit with standard height of 82 mm (distance from the dispensing spout to the cup-support grid).
- A steam nozzle and a hot water dispensing nozzle, both manual and fitted with retro-style knobs.
- Standard self-levelling.
- Vibration pump.
- 1 inner tank, 1,7l.
- Direct connection to the water mains for water supply.
- Inlet water pressure regulator.
- 2-l boiler with two exchangers.
- Decalcification system.
- Upper cup-support grid with plexiglass.
- To enhance the purism that distinguishes the style of this machine, new wooden finishes were created for: water knob, steam knob, filter carrier and levers.

EMA MININOVA CLASSIC (GROUP 2)
SEMI AUTOMATIC MECHANICAL LEVER OPERATED ESPRESSO COFFEE MACHINE.

- Two visible units with standard height of 82 mm (distance from the dispensing spout to the cup-support grid).
- A steam nozzle and a hot water dispensing nozzle, both manual and fitted with retro-style knobs.
- Self-levelling boiler and standard tank.
- 3 vibration pumps: one on each unit and the third dedicated exclusively to management of the boiler level.
- Inner tank, 4lt.
- Direct connection to the water mains for water supply.
- Inlet water pressure regulator.
- 7-l boiler with two exchangers.
- Decalcification system.
- Upper cup-support grid with plexiglass.
- To enhance the purism that distinguishes the style of this machine, new wooden finishes were created for: water knob, steam knob, filter carrier and levers.

DESCALER

- For the removal of lime scale with one simple action.
- Prevents the formation of obstructions while ensuring optimal functioning of the coffee machine.
- It's never been easier: pre-measured liquid formula!

AVAILABLE COLOURS

INOX

TECHNICAL CHARACTERISTICS

GROUPS		1	2
Voltage	V	120*/ 230-240	120*/ 230-240
Power	W	1.600* / 1.600	2.900* / 2.900
Boiler	Lt / US gal	2 / 0.45	7 / 1.59
Width	L = cm / in	33 / 12.99	59 / 23.23
Depth	P = cm / in	43,5 / 17.13	44,5 / 17.52
Height	H = cm / in	48,5 / 19.09	53,5 / 21.06
Net Weight	kg / lb	25 / 55.12	46 / 101.41
Gross Weight	kg / lb	28 / 61.73	57 / 125.66
Packed Volume	m^3 / ft^3	0,1331 / 4.7	0, 221 / 7.8

EMA 1 GROUP

EMA 2 GROUPS

EMA CHROME RAL 1035

EMA Semi-automatic coffee machine

Model	Groups	LxPxH (cm)	Lt.	Weight (Kg)	Voltage (V)	Power (W)	(Euro)
EMA2VLV	2	77x56x58	12	71 81	120*/230-240-400	3.100*/3.900/4.200	5.988,05
EMA3VLV	3	101x56x58	17	90 105	230-240-400	5.550/6.000	6.972,14
EMA4VLV	4	125x56x58	22	110 130	230-240-400	6.600/7.200	8.481,25

ALE CHROME RAL 1035

ALE Semi automatic coffee machine with lever groups

Model	Groups	LxPxH (cm)	H1 (cm)	Lt.	Weight (Kg)	Voltage (V)	Power (W)	(Euro)
ALE2VLV	2	77x56x58	80	12	78 88	120*/ 230-240-400	3.100*/ 3.900 / 4.200	5.988,05
ALE3VLV	3	101x56x58	80	17	101,5 106,5	230-240-400	5.550 / 6.000	6.972,14
ALE4VLV	4	125x56x58	80	22	125 145	230-240-400	6.600 / 7.200	8.481,25

H1 =Maximum height with lever mounted on group

SMART Water Filtration System

Model	Height (cm)	Lt.	(Euro)	Model	Height (cm)	Lt.	(Euro)
KIT 20	38,3	2.700	177,16	**KIT 35**	46,0	7.800	311,94
KIT 25	38,3	3.800	210,12	**KIT TEST**	5,5	0,01	45,95
KIT 30	43,5	5.800	266,67				

Extra

Code	Description	(Euro)	Code	Description	(Euro)
EX02	Approval TUV GS	332,18	**EX04**	Approval ETL4	746,66
EX03	Approval UL\C-UL	746,66	**EX07**	Extra Chrome version	565,80

Accessories

Code	Description	(Euro)	Code	Description	(Euro)
AC01	Gas system	156,53	**AM08**	Manual water softener 8 lt.	162,33
AC02	Built-in motor pump	112,09	**AM12**	Manual water softener 12 lt.	185,52
AC06	Electric cup warmer	108,28	**AM16**	Manual water softener 16 lt.	204,83
AC28	Milkfrother	315,25			

MININOVA CLASSIC | PRICE LIST

EMA INOX

EMA MININOVA CLASSIC (GROUP 1)

Model	Groups	LxPxH (cm)	Lt.	Weight (Kg)	Voltage (V)	Power (W)	(Euro)
EMA1MINIC	1	33x43,5x48,5	2	25 28	120*/ 230-240	1.600* / 1.600	2.355,97

EMA INOX

EMA MININOVA CLASSIC (GROUP 2)

Model	Groups	LxPxH (cm)	Lt.	Weight (Kg)	Voltage (V)	Power (W)	(Euro)
EMA2MINIC	2	59x44,5x53,5	7	46 57	120*/ 230-240	2.900* / 2.900	3.377,25

SMART Water Filtration System

Model	Height (cm)	Lt.	(Euro)
KIT 20	38,3	2.700	177,16
KIT 25	38,3	3.800	210,12
KIT 30	43,5	5.800	266,67

Model	Height (cm)	Lt.	(Euro)
KIT 35	46,0	7.800	311,94
KIT TEST	5,5	0,01	45,95

Accessories

Code	Description	(Euro)
AM08	Manual water softener 8 lt.	162,33
AM12	Manual water softener 12 lt.	185,52
AM16	Manual water softener 16 lt.	204,83

Code	Description	(Euro)
AC38	Descaler (2x125 ml)	12,47
AC28	Milkfrother	315,25

EVD 1 GROUP
ELECTRONIC COFFEE MACHINE.
- Wega standard group with thermosiphon circulation.
- Programming of four doses per group.
- A stainless steel steam tube.
- A hot water dispenser.
- Automatic level.
- Available with inner tank and vibration pump (mod. PV) or with connection to the water mains and rotary pump (mod. PR).
- Possibility of bringing the 122mm raised groups to a height of 82 mm at any time thanks to a wide and solid stainless steel flap.
- Work area LED downlighters as standard

EVD 2 GROUPS COMPATTA
ELECTRONIC COFFEE MACHINE.
- Thermoheated coupling ring group.
- Programming of four doses per group.
- A stainless steel steam tube.
- A hot water dispenser.
- Automatic level.
- A model that is already set up both for the inner tank with vibration pump (mod. PV) and for connection to the water mains.
- Innovative energy-saving system thanks to which it is possible to place one or both boilers of the dispensing groups on stand-by.
- Possibility of bringing the 122mm raised groups to a height of 82 mm at any time thanks to a broad and solid stainless steel flap.
- Work area LED downlighters as standard.

EVD 2 GROUPS
ELECTRONIC COFFEE MACHINE.
- Wega standard group with thermosiphon circulation.
- Programming of four doses per unit.
- Two stainless steel steam tubes.
- A hot water dispenser and two manual buttons for coffee dispensing.
- Automatic level.
- Only available with connection to the water mains and rotary pump (mod. PR).
- Possibility of bringing the 122mm raised groups to a height of 82 mm at any time thanks to a broad and solid stainless steel flap.
- Work area LED downlighters as standard.

AVAILABLE COLOURS

PANTONE 376C GREEN

RAL 2005 BRIGHT ORANGE

PEARLY WHITE PEARLY WHITE

MATT BLACK

TECHNICAL CHARACTERISTICS

GROUPS		1	2	COMP.
Voltage	V	120*/ 230-240	120*/ 230-240-400	230-240
Power	W	1.300* / 2.700	2.900* / 3.900	2.700
Boiler	Lt / US gal	2,5 / 0.57	10,5 / 2.38	2,5 / 0.57
Width	L = cm / in	39 / 15.35	74,5 / 29.33	56 / 22.05
Depth	P = cm / in	52,5 / 20.67	52,5 / 20.67	52,5 / 20.67
Height	H = cm / in	51,1/ 20.12	51,1/ 20.12	51,1/ 20.12
Net Weight PV	kg / lb	38 / 83.78	--	45 / 99.21
Gross Weight PV	kg / lb	47 / 103.62	--	54 / 119.05
Net Weight PR	kg / lb	43 / 94.80	63 / 138.89	45 / 99.21
Gross Weight PR	kg / lb	52 / 114.64	73 / 160.94	54 / 119.05
Packed Volume	m^3 / ft^3	0,23 / 8.12	0,45 / 15.79	0,34 / 12.07

EVD 1 GROUP

EVD 2 GROUPS COMPATTA

EVD 2 GROUPS

EVD | PANTONE 376 | RAL 2005 | PEARLY WHITE | MATT BLACK

EVD 1 GROUP Electronic coffee machine

Model	Groups	LxPxH (cm)	Lt.	Weight (Kg)	Voltage (V)	Power (W)	(Euro)
EVD1IOPV	1	39x52,5x51,1	2,5	38 47	120*/230-240	1.300* / 2.700	3.487,99
EVD1IOPR	1	39x52,5x51,1	2,5	43 52	120*/230-240	1.300* / 2.700	3.519,51

EVD | PANTONE 376 | RAL 2005 | PEARLY WHITE | MATT BLACK

EVD COMPATTA Electronic coffee machine

Model	Groups	LxPxH (cm)	Lt.	Weight (Kg)	Voltage (V)	Power (W)	(Euro)
EVD2CIO	2	56x52,5x51,1	2,5	45 54	230-240	2.700	4.062,00

EVD | PANTONE 376 | RAL 2005 | PEARLY WHITE | MATT BLACK

EVD 2 GROUPS Electronic coffee machine

Model	Groups	LxPxH (cm)	Lt.	Weight (Kg)	Voltage (V)	Power (W)	(Euro)
EVD2IO	2	74,5x52,5x51,1	10,5	63 73	120*/230-240-400	2.900* / 3.900	4.170,88
EVD3IO	3	98,5x52,5x51,1	15,2	81 91	230-240-400	5.300	5.125,00

SMART Water Filtration System

Model	Height (cm)	Lt.	(Euro)
KIT 20	38,3	2.700	177,16
KIT 25	38,3	3.800	210,12
KIT 30	43,5	5.800	266,67

Model	Height (cm)	Lt.	(Euro)
KIT 35	46,0	7.800	311,94
KIT TEST	5,5	0,01	45,95

Accessories

Code	Description	(Euro)
AC28	Milkfrother	315,25
AC06	Electric cup warmer (only for 2 goups)	108,28

Code	Description	(Euro)
AM08	Manual water softener 8 lt.	162,33
AM12	Manual water softener 12 lt.	185,52
AM16	Manual water softener 16 lt.	204,83

Extra

Code	Description	(Euro)
EX16	Customised panels	692,93

ATLAS

EVD
ELECTRONIC COFFEE MACHINE.
- Four programmable doses per group, with manual brewing button.
- Two stainless steel steam wands, one manual hot water tap.
- Autolevel, built in volumetric pump.
- Options for:
  - downlighters illuminating the work area
  - electric cup warmer

EVD - COMPATTA
ELECTRONIC TWO GROUPS COMPACT COFFEE MACHINE.
- Four programmable doses per group, with manual brewing button.
- Two stainless steel steam wands, one manual hot water tap.
- Autolevel, built in volumetric pump.
- Options for:
  - downlighters not available
  - electric cup warmer not available

EPU
SEMI-AUTOMATIC COFFEE MACHINE WITH ELECTROMECHANICAL PUSH BUTTONS.
- Two stainless steel steam wands, one manual hot water tap.
- Autolevel, built in volumetric pump.
- Options for:
  - downlighters illuminating the work area
  - electric cup warmer

AVAILABLE COLOURS

RAL 1035 SAND

MET. RED METALLIC RED

MATT BLACK

TECHNICAL CHARACTERISTICS

GROUPS		2	3	COMP.
Voltage	V	120*/230-240-400	230-240-400	120*/230-240-400
Power	W	2.900*/3.700/4.000	5.300/5.800	2.900*/2.900/3.100
Boiler	Lt / US gal	12 / 3.17	17 / 4.49	7 /1.85
Width	L = cm / in	74 / 29.13	98 / 38.58	53 / 20.87
Depth	P = cm / in	58 / 22.83	58 / 22.83	58 / 22.83
Height	H = cm / in	52 / 20.47	52 / 20.47	52 / 20.47
Net Weight	kg / lb	78 / 171	111 / 244	65 / 143
Gross Weight	kg / lb	84 / 185	120 / 264	70 / 154
Packed Volume	m^3 / ft^3	0,459 / 16.20	0,583 / 20.58	0,350 / 12,36

EVD

EPU

ORION GOLD

EVD - ELECTRONIC COFFEE MACHINE.
- Four programmable doses per group, with manual brewing button.
- Two stainless steel steam wands, one manual hot water tap.
- Autolevel, built in volumetric pump.

EVD - COMPATTA ELECTRONIC TWO GROUPS COMPACT COFFEE MACHINE.
- Four programmable doses per group, with manual brewing button.
- Two stainless steel steam wands.
- One manual hot water tap.
- Autolevel.
- Built in volumetric pump.
- Electric cup warmer and gas system not available

EPU - SEMI-AUTOMATIC COFFEE MACHINE WITH ELECTROMECHANICAL PUSH BUTTONS.
- Two stainless steel steam wands, one manual hot water tap.
- Autolevel, built in volumetric pump.

AVAILABLE COLOURS

RAL 9010 WHITE

MET. BLACK METALLIC BLACK

TECHNICAL CHARACTERISTICS

GROUPS		2	3	COMP.
Voltage	V	120*/ 230-240-400	230-240-400	120*/ 230-240-400
Power	W	2.800 / 3.600 / 3.900	5.300 / 5.800	2.900* / 2.900 / 3.100
Boiler	Lt / US gal	12 / 3.17	17 / 4.49	7 / 1.85
Width	L = cm / in	72 / 28.35	96 / 37.8	51 / 20.08
Depth	P = cm / in	54,5 / 21.46	54,5 / 21.46	54,5 / 21.46
Height	H = cm / in	51,5 / 20.28	51,5 / 20.28	51,5 / 20.28
Net Weight	kg / lb	74 / 163.2	92 / 202	70,5 / 155.5
Gross Weight	kg / lb	84 / 185.2	104 / 229	79,5 / 175.3
Packed Volume	m^3 / ft^3	0,45 / 15.79	0,57 / 20.05	0,34 / 12.07

EVD

EPU

EVD | RAL 1035 | MET. RED | MATT BLACK

EVD Electronic coffee machine

Model	Groups	LxPxH (cm)	Lt.	Weight (Kg)	Voltage (V)	Power (W)	(Euro)
EVD2AT	2	74x58x52	12	78 84	120*/ 230-240-400	2.900* / 3.700 / 4.000	4.663,60
EVD3AT	3	98x58x52	17	111 120	230-240-400	5.300 / 5.800	5.652,43

EVD | RAL 1035 | MET. RED | MATT BLACK

EVD COMPATTA Electronic coffee machine

Model	Groups	LxPxH (cm)	Lt.	Weight (Kg)	Voltage (V)	Power (W)	(Euro)
EVD2CAT	2	53x58x52	7	65 70	120*/230-240-400	2.900* / 2.900 / 3.100	4.409,29

EPU | RAL 1035 | MET. RED | MATT BLACK

EPU Semi-automatic coffee machine

Model	Groups	LxPxH (cm)	Lt.	Weight (Kg)	Voltage (V)	Power (W)	(Euro)
EPU2AT	2	74x58x52	12	78 84	120*/230-240-400	2.900* / 3.700 / 4.000	3.894,26
EPU3AT	3	98x58x52	17	111 120	230-240-400	5.300 / 5.800	4.861,24

SMART Water Filtration System

Model	Height (cm)	Lt.	(Euro)
KIT 20	38,3	2.700	177,16
KIT 25	38,3	3.800	210,12
KIT 30	43,5	5.800	266,67

Model	Height (cm)	Lt.	(Euro)
KIT 35	46,0	7.800	311,94
KIT TEST	5,5	0,01	45,95

Extra

Code	Description	(Euro)
EX02	Approval TUV GS	332,18
EX03	Approval UL\C-UL	746,66
EX04	Approval ETL4	746,66

Accessories

Code	Description	(Euro)
AC01	Gas system	156,53
AC06	Electric cup warmer 2, 3 groups	108,28
AC28	Milkfrother	315,25
AC30	Work area LED downlighters (2, 3 gr.)	183,49

Code	Description	(Euro)
AM08	Manual water softener 8 lt.	162,33
AM12	Manual water softener 12 lt.	185,52
AM16	Manual water softener 16 lt.	204,83

EVD | RAL 9010 | MET. BLACK

EVD Electronic coffee machine

Model	Groups	LxPxH (cm)	Lt.	Weight (Kg)	Voltage (V)	Power (W)	(Euro)
EVD2OG	2	72x54,5x51,5	12	74 84	120*/230-240-400	2.800* / 3.600 / 3.900	4.062,83
EVD3OG	3	96x54,5x51,5	17	92 104	230-240-400	5.300 / 5.800	5.072,91

EVD | RAL 9010 | MET. BLACK

EVD COMPATTA Electronic coffee machine

Model	Groups	LxPxH (cm)	Lt.	Weight (Kg)	Voltage (V)	Power (W)	(Euro)
EVD2COG	2	51x54,5x51,5	7	70,5 79,5	120*/230-240-400	2.900 / 2.900 / 3.100	4.007,81

EPU | RAL 9010 | MET. BLACK

EPU Semi-automatic coffee machine

Model	Groups	LxPxH (cm)	Lt.	Weight (Kg)	Voltage (V)	Power (W)	(Euro)
EPU2OG	2	72x54,5x51,5	12	74 84	120*/230-240-400	2.800* / 3.600 / 3.900	3.429,42
EPU3OG	3	96x54,5x51,5	17	92 104	230-240-400	5.300 / 5.800	4.329,54

SMART Water Filtration System

Model	Height (cm)	Lt.	(Euro)
KIT 20	38,3	2.700	177,16
KIT 25	38,3	3.800	210,12
KIT 30	43,5	5.800	266,67

Model	Height (cm)	Lt.	(Euro)
KIT 35	46,0	7.800	311,94
KIT TEST	5,5	0,01	45,95

Extra

Code	Description	(Euro)
EX02	Approval TUV GS	332,18
EX03	Approval UL\C-UL	746,66
EX04	Approval ETL4	746,66

Accessories

Code	Description	(Euro)
AC01	Gas system (only with external motor pump)	156,53
AC06	Electric cup warmer	108,28
AC28	Milkfrother	315,25

Code	Description	(Euro)
AM08	Manual water softener 8 lt.	162,33
AM12	Manual water softener 12 lt.	185,52
AM16	Manual water softener 16 lt.	204,83