

EN



nuova
SIMONELLI®

PRICE LIST

 INDEX

- TALENTO
- PRONTOBAR TOUCH
- PRONTOBAR SILENT
- MICROBAR
- AURELIA WAVE T3
- AURELIA WAVE
- APPIA LIFE XT
- APPIA LIFE
- APPIA LIFE COMPACT/1 GRUPPO
- MUSICA
- OSCAR II
- MYTHOS GRINDERS
- ON DEMAND GRINDERS
- GRINDERS

nuova

SIMONELLI®



STANDARD COLORS

■ Black

Super automatic machine with thermal controlled metal group; Double grinder (65 mm); 1.5 kg bean hopper; Double insulated boiler; Double brewing system with patented flow division; adjustable nozzle (85mm - 190mm); Mousse latte system with adjustable temperature and density (Vers. Touch); Incorporated cappuccino maker; incorporated frother (Vers. Touch); Stainless steel steam wand with new easy cream system (optional); Stainless steel hot water wand; TFT display; Frame and body in stainless steel; Hourly production up to 240 coffees and 180 cappuccinos; USB slot; TFT display (vers. Special); Double bean hopper for powder beverages (vers. Special Mix).

MODEL	FEATURES	VERSION	CODE	PRICE €
Touch	Coffee Boiler: Lt.2; Service boiler: Lt.3; Power: 5400W; Voltage: 230/380V; Frequency: 50/60 Hz; Dim.(WxDxH): 400x608x844 mm; Net/Gross weight: 67/77 Kg;	Touch Black	MTALE19CMK21	9.900
Plus	Coffee Boiler: Lt.2; Service boiler: Lt.3; Power: 5400W; Voltage: 230V/380V; Frequency: 50/60 Hz; Dim.(WxDxH): 400x607x844 mm; Net/Gross weight: 65/74 Kg;	230V Inox	MTALE11CAP21	8.300
		380V Inox	MTALE11CAP21	
Fridge module	Fridge compressor; Refrigerating R134a; Capacity: Lt.15; Power: 100W; Electronic temperature control with LCD display; Voltage: 230V; Frequency: 50/60Hz; Dim.(WxDxH): 270x430x690 mm; Gross weight: 31 Kg;	230V Inox	KFP20204	1.980
Cup warmer module	N. 3 drawers; Cups per drawer: 30 coffees or 16 cappuccinos; Power: 300W; Voltage: 230V 50/60Hz; Dim.(WxDxH): 270x430x690 mm; Gross weight: 24 Kg;	230V Inox	KSET0002	1.050

OPTIONAL	FEATURES	VERSION	CODE	PRICE €
Hot water Economizer		Plus		100
"Easy Cream" steam wand	With hot air compression and electric control of milk temperature	Plus		590
		Touch		360
International certification				75
Direct drainage drawer	Made of stainless steel with direct drainage			35
Powder module		Touch		11.800

PRONTOBAR TOUCH



STANDARD COLORS

■ Black

Super automatic machine with thermal controlled extractable metal group; Direct connection and tank in a sole version; 7inch Touch Display; 5 languages; 24 programmable drinks; Volumetric pump; incorporated cappuccino maker; 2 incorporated grinders (diameter 50 mm); Long Life burrs; 0.8 kg Bean hopper; Insulated double boiler; Extractable and adjustable height nozzle; Stainless steel body and ABS; Hourly production up to 140 coffees and 100 cappuccinos; USB slot; Easy Cream (optional); Hot water steam wand in stainless steel.

MODEL	FEATURES	VERSION	CODE	PRICE €
2 Grinders	Group: Ø 43 mm; N. grinders: 2 (diameter 50mm); Coffee Boiler: Lt.0,8; Steam Boiler: Lt. 1,5; Water tank capacity:5lt; Direct attachment to water supply; Power: 2700W; Voltage: 220/240V; Frequency: 50/60 Hz.; Dim.(WxDxH): 326x520x622 mm; Net/Gross weight: 40/45 Kg;	230V	MPROTFTCAP21	6.200
Prontofrigo	Fridge compressor; Refrigerating gas R134a; Capacity: Lt. 7; Power:100W; Electronic temperature control with LCD display; Voltage: 230V; Frequency: 50/60Hz; Dim.(WxDxH): 270x400x490 mm; Net/Gross weight: 17 Kg;	230V Inox	KFP30201	1.160

OPTIONAL	FEATURES	VERSION	CODE	PRICE €
Cup warmer module	Power 200W; Voltage 230V – 50 Hz; Dim. (WxDxH) 250x295x480mm; Net weight 7.3 Kg.	Inox	ASCMICRO30.1	505
"Easy Cream" steam wand				590
International certification				75
Direct drainage drawer	Direct drainage			25
Remote Control				980
Special plug	Any plug different from shuko			25
AFTER SALE				
Kit "Cool Touch" steam wand			KLVCT002	90
Espresso management system			KEMS0001	500

PRONTOBAR SILENT



STANDARD COLORS

■ Black

Super automatic compact machine with thermal controlled extractable metal group; Volumetric pump; Incorporated cappuccino maker; 1 or 2 incorporated grinders (diameter 50 mm); 0.8 kg Bean hopper; Insulated double boiler; Extractable and adjustable height nozzle; Stainless steel steam wand with Autosteam system (optional); LCD multifunction display; Extractable water tank or direct attachment to the water system (Vers. AD); Stainless steel body and ABS; Daily production up to 140 coffees and 70 cappuccinos; Hot water steam wand in stainless steel.

MODEL	FEATURES	VERSION	CODE	PRICE €
1 Grinder	Group Ø 43 mm; N. Grinders: 1 (Ø = 50 mm); Coffee boiler: Lt. 0,8; Steam boiler: Lt. 0,8; Water tank capacity: Lt. 5; Power: 2100W; Voltage: 220/240V; Frequency: 50/60 Hz; Dim.(WxDxH): 400x607x844 mm; Net/Gross weight: 37/43 Kg;	230V	MPROB17CAP11	4.200
1 Grinder AD	Group Ø 43 mm; N. Grinders: 1 (Ø = 50 mm); Coffee boiler: Lt. 0,8; Steam boiler: Lt. 0,8; Direct connection to water supply; Power: 2100W; Voltage: 208/240V; Frequency: 50/60 Hz.; Dim.(WxDxH): 400x607x844 mm; Net/Gross weight: 37/43 Kg;	230V	MPROB17CAP11	4.200
2 Grinders	Group Ø 43 mm; N. Grinders: 2 (Ø = 50 mm); Coffee boiler: Lt. 0,8; Steam boiler: Lt. 0,8; Water tank capacity: 5lt; Power: 2100W; Voltage: 220/240V; Frequency: 50/60 Hz.; Dim.(WxDxH): 400x607x844 mm; Net/Gross weight: 40/45 Kg;	230V	MPROB17CAP21	4.580
2 Grinders AD	Group Ø 43 mm; N. Grinders: 2 (Ø = 50 mm); Coffee boiler: Lt. 0,8; Steam boiler: Lt. 0,8; Direct attachment to water system; Power: 2100W; Voltage: 220/240V; Frequency: 50/60 Hz.; Dim.(WxDxH): 400x607x844 mm; Net/Gross weight: 40/45 Kg;	230V	MPROB17CAP21	4.580
Prontofrigo	Fridge compressor; Refrigerating gas R134a; Capacity: Lt.7; Power: 100W; Electronic temperature control with LCD display; Voltage: 230V; Frequency: 50/60 Hz; Dim.(WxDxH): 270x400x490 mm; Net weight: 17 Kg;	230V Inox	KFP30201	1.160

OPTIONAL	FEATURES	VERSION	CODE	PRICE €
Cup warmer module	Power 200W; Voltage 230V – 50 Hz; Dim WxDxH 250x295x480; Net weight 7.3 Kg.	Inox	ASCMICRO30.1	505
"Smart wand" steam nozzle	With electronic control of milk temperature			335
Hot water extension				60
Direct drainage drawer	Direct drainage			25
International certification				75
Special plug	Any plug different from shuko			25
AFTER SALE				
Kit "Cool Touch" steam wand			KLVCT002	90

M I C R O B A R I I



STANDARD COLORS

■ Black

■ Red

□ White

Super automatic compact machine with incorporated cappuccino maker; Volumetric pump; Extractable metal group; 1 incorporated grinder (diameter 50 mm); 250 gr Bean hopper; Insulated stainless steel boiler; Extractable and adjustable height nozzle; Stainless steel body and ABS; Daily production up to 100 coffees and cappuccinos.

MODEL	FEATURES	VERSION	CODE	PRICE €
Coffee	Group: Ø 43 mm; N. Grinders: 1 (Ø = 50 mm); Boiler capacity: Lt 0,8; Water tank capacity: 5 Lt; Power: 1350 W; Voltage: 220-240V; Frequency: 50/60 Hz; Dim. (WxDxH): 325x460x480 mm; Gross weight: 30 Kg;	230V	MMICRIICOF11	2.260
Coffee AD	Group: Ø 43 mm; N. Grinders: 1 (Ø = 50 mm); Boiler capacity: Lt 0,8; Direct connection to water supply; Power: 1350W; Voltage: 220-240V; Frequency: 50/60 Hz; Dim. (WxDxH): 325x460x480 mm; Gross weight: 30 Kg;	230V	MMICRIICOF11	2.320
Cappuccino	Group: Ø 43 mm; N. Grinders: 1 (Ø = 50 mm); Coffee boiler Lt 0,8; Steam boiler: Lt 0,8; Water tank capacity: Lt 5; Power: 2200 W; Voltage: 220/240V; Frequency: 50/60 Hz; Dim. (WxDxH): 325x460x480 mm; Gross weight: 31 Kg;	230V	MMICRIICAP11	2.860
Cappuccino AD	Group: Ø 43 mm; N. Grinders: 1 (Ø = 50 mm); Coffee boiler Lt 0,8; Steam boiler: Lt 0,8; Direct attachment to water system; Power: 2200 W; Voltage: 220/240V; Frequency: 50/60 Hz; Dim. (WxDxH): 325x460x480 mm; Gross weight: 31 Kg;	230V	MMICRIICAP11	2.920

OPTIONAL	FEATURES	VERSION	CODE	PRICE €
Cup warmer module	Power 200W; Voltage 230V – 50 Hz; Dim (WxDxH) 250x295x480 mm; Net weight 7.3 Kg.		ASCMICRO30.1	505
Direct drainage drawer				25
International certification				75
Special plug	Any plug different from shuko			25
AFTER SALE				
Bean Hopper Extension	Capacità 0,5 Kg; H 85mm; Colore fumè		05000706.F	10
Stainless steel base	Base with direct discharge drawer; Dimensions (WxDxH) 325x460x150 mm;		KCS00005	350

AURELIA WAVE T3



STANDARD COLORS

■ Black

■ Red

□ White

Traditional coffee machine with T3 technology; TOUCH display, shot time; Single programmable temperature for each group; Insulated boilers; SIS infusion system; LED lights on the steam wand; Volumetric dosage; 2 stainless steel "cool touch" steam wands; 1 hot water wand with economizer; External regulation of the pump pressure; USB slot; Raised groups version (optional); Pulse-jet technology; Nanotech portafilters; Complete LED kit; Smart water technology (optional); 3 hot water temperatures; Hot water temperature control (optional); Electrical programmable cup warmer (optional); Espresso management system/Remote control (optional).

MODEL	FEATURES	VERSION	CODE	PRICE €
2 Gr	Pulse jet technology; Steam boiler: Lt. 14; Power: 6500W; Voltage: 230/380V; Frequency: 50/60Hz; Dim.(WxDxH):802x605x537 mm; Net/Gross weight: 80/86 Kg;	V 230V	MAURE18VT302	10.350
		V 380V	MAURE18VT302	
3 Gr	Pulse jet technology; Steam boiler: Lt. 17; Power: 8000W; Voltage: 230/380V; Frequency: 50/60Hz; Dim.(WxDxH):1032x605x537 mm; Net/Gross weight: 95/105 Kg;	V 230V	MAURE18VT303	11.800
		V 380V	MAURE18VT303	

OPTIONAL	FEATURES	VERSION	CODE	PRICE €
Raised groups version	Without platform for cups			
Smart water technology		2 Gr		980
		3 Gr		
Auto-purge		2 Gr		200
		3 Gr		300
Remote control		2 Gr		980
		3 Gr		
Hot water temperature control		2 Gr		290
		3 Gr		
Electrical cup warmer	Full Gel system	2 Gr		260
		3 Gr		340
International cerification				75
"Easy cream" steam wand with air control	Electrical milk temperature control; Possibility of 2 nozzles	each		590
AFTER SALE				
Espresso management system	3-year subscription with tantum		KEMS0001	500
Nano Tech + leather portafilter			KPFPN00*	150
"Cool Touch Nano Tech" steam wand			KLVCTN05	115
"Cool Touch Inox Tech" steam wand			KLVCTI06	125
Raised base			O3001778	18

AURELIA WAVE



STANDARD COLORS

■ Black

■ Red

□ White

Traditional coffee machine; LED lights on the steam wand (optional); Volumetric dosage (versions "V" and "digit") or manual (version "S"); 2 stainless steel steam wands; Electronic easy cream system (optional); 1 hot water wand with economizer; Electrical cup warmer (optional); Raised groups version (optional); Automatic cleaning system (vers. "Digit", "V"); USB slot (vers. "V", "Digit"); TFT (vers. "V"); Shot time (vers. "Digit"); Espresso management system/Remote control (optional version "Digit"); 3 hot water temperatures; Hot water temperature control (optional vers. "digit"; Auto-purge (optional vers. "Digit"); Nanotech portafilter (optional); Smart water technology (optional vers. "Digit");

MODEL	FEATURES	VERSION	CODE	PRICE €
2 Gr	Boiler: Lt. 14; Power: 4700W; Voltage: 230/380V; Frequency: 50/60Hz; Dim.(WxDxH): 802x605x537 mm; Net/Gross weight: 78/84 Kg;	S 230V	MAURE18SEM02	4.750
		S 380V	MAURE18SEM02	
		V 230V	MAURE18VOL02	6.380
		V 380V	MAURE18VOL02	
		DIGIT 230V	MAURE18VDG02	7.980
		DIGIT 380V	MAURE18VDG02	
3 Gr	Boiler: Lt. 17; Power: 5200W; Voltage: 230/380V; Frequency: 50/60Hz; Dim.(WxDxH): 1032x605x537 mm; Net/Gross weight: 92/102 Kg;	S 230V	MAUR18SEM03	5.550
		S 380V	MAUR18SEM03	
		V 230V	MAURE18VOL03	7.580
		V 380V	MAURE18VOL03	
		DIGIT 230V	MAURE18VDG03	9.280
		DIGIT 380V	MAURE18VDG03	

OPTIONAL	FEATURES	VERSION	CODE	PRICE €
Raised groups version	Without platform for cups			
Smart water technology	Only for Aurelia "Digit"	2 Gr		980
		3 Gr		
Auto-purge	Only for Aurelia "Digit"	2 Gr		200
		3 Gr		300
Remote control	Only for Aurelia "Digit"	2 Gr		980
		3 Gr		
LED lights	Versions "S" e "V"	2 Gr		140
		3 Gr		170
LED lights	Versions "Digit"	2 Gr		200
		3 Gr		230
Hot water temperature control		2 Gr		290
		3 Gr		
Electrical cup warmer	Full Gel system	2 Gr		260
		3 Gr		340
International certification				75
"Easy cream" steam wand	Electrical milk temperature control Possibility of 2 nozzles	each		590
AFTER SALE				
Espresso management system	3-year subscription with tantum		KEMS0001	500
"Cool Touch" steam wand kit			KLVCT005	95
Nano Tech + leather portafilter			KPFPN00*	150
"Cool Touch Nano Tech" steam wand			KLVCTN05	115
"Cool Touch Inox Tech" steam wand			KLVCTI06	125
Nano Tech dispersion block	Nano Tech coated for an easier cleaning		07300183*	18
Metal tamper	Ergonomic, metal, and height adjustable		KPCNS001	75
Nano Tech portafilter			KPFNT00*	95

A P P I A L I F E X T



STANDARD COLORS

- Painted Black
- Painted Red
- Painted White

Traditional coffee machine; Insulated boilers; Display; SIS system; Volumetric dosage (vers. "V"); lights; Incorporated volumetric pump; 2 stainless steel steam wands with Push&Pull command; 1 hot water wand; Hot water economizer (optional); Electrical cup warmer (optional); Raised groups (optional); Cup warmer rail (optional).

MODEL	FEATURES	VERSION	CODE	PRICE €
2 Gr XT	Boiler: Lt. 11; Power: 3150W; Voltage: 230/380V; Frequency: 50/60Hz; Dim.(WxDxH): 784x544x500 mm; Net/Gross weight: 54/66 Kg;	V 230V	MAPPI19PLS02	5.390
		V 380V	MAPPI19PLS02	
3 Gr XT	Boiler: Lt. 15; Power: 5200W; Voltage: 230/380V; Frequency: 50/60Hz; Dim.(WxDxH): 1014x544x500 mm; Net/Gross weight: 72/85 Kg;	V 230V	MAPPI19PLS03	6.390
		V 380V	MAPPI19PLS03	

OPTIONAL	FEATURES	VERSION	CODE	PRICE €
Raised groups version	With platform for cups	2 Gr		
		3 Gr		
"Easy cream" steam wand	Electrical milk temperature control; Left or right wand	2 Gr		590
		3 Gr		
Electrical cup warmer	Full Gel system	2 Gr		85
		3 Gr		105
Hot water economizer kit	Hot water mixer	2 Gr		95
Remote Control				980
International certification				75
Special plug	Any plug different from shuko	2 Gr		25
Rail		2 Gr		190
		3 Gr		210
AFTER SALE				
"Cool Touch" steam wand kit			KLVCT004	95
Nano Tech portafilter			KPFNT00*	95
Nano Tech + leather portafilter			KPFPN00*	150
Metal tamper			KPCNS001	75
Nano Tech dispersion block			07300183*	18
"Cool Touch Nano Tech" steam wand kit			KLVCTN04	115
Espresso management system	3-year subscription with tantum		KEMS0001	500

APPIA LIFE



STANDARD COLORS

■ Printed Black (2gr)

■ Painted Black (3gr)

Traditional coffee machine; Insulated boilers; SIS system; Volumetric dosage (vers. "V") or Manual (vers. "S"); Incorporated volumetric pump; 2 stainless steel steam wands with Push&Pull command; 1 hot water wand with; Hot water economizer (optional); Electrical cup warmer (optional); Raised groups (optional); Cup warmer rail (optional).

MODEL	FEATURES	VERSION	CODE	PRICE €
2 Gr	Boiler: Lt. 11; Power: 3150W; Voltage: 230/380V; Frequency: 50/60Hz; Dim.(WxDxH):784x544x500 mm; Net/Gross weight: Kg. 54/66;	S 230V	MAPPI19SEM02	3.590
		S 380V	MAPPI19SEM02	
		V 230V	MAPPI19VOL02	4.620
		V 380V	MAPPI19VOL02	
3 Gr	Boiler: Lt. 15; Power: 5200W; Voltage: 230/380V; Frequency: 50/60Hz; Dim.(WxDxH):1014x544x500 mm; Net/Gross weight: Kg. 72/85;	S 230V	MAPPI19SEM03	4.750
		S 380V	MAPPI19SEM03	
		V 230V	MAPPI19VOL03	5.700
		V 380V	MAPPI19VOL03	

OPTIONAL	FEATURES	VERSION	CODE	PRICE €
Colors	Optional painted colors  Black  Red  White	2 Gr		140
Colors	Optional painted colors  Red  White	3 Gr		140
Raised groups version	With platform for cups	2 Gr		
		3 Gr		
"Easy cream" steam wand	Electrical milk temperature control; Left or right wand	VOL 2/3 Gr		590
Electrical cup warmer	Full Gel system	2 Gr		85
		3 Gr		105
Hot water economizer kit	Hot water mixer			95
Remote Control		VOL		980
International certification				75
Special plug	Any plug different from shuko	2 Gr		25
Rail		2 Gr		190
		3 Gr		210
AFTER SALE				
"Cool Touch" steam wand kit			KLVCT004	95
Nano Tech portafilter			KPFNT00*	95
Nano Tech + leather portafilter			KPFNP00*	150
Metal tamper			KPCNS001	75
Nano Tech dispersion block			07300183*	18
"Cool Touch Nano Tech" steam wand kit			KLVCTN04	115
Espresso management system	3-year subscription with tantum		KEMS0001	500

APPIA LIFE COMPACT/ 1 GROUP



STANDARD COLORS

■ Printed Black

Professional compact coffee machine; Insulated boilers; SIS system; Volumetric dosage (vers. "V") or Manual (vers. "S"); Incorporated volumetric pump; Stainless steel steam wands with Push&Pull command; Easy cream system (optional); 1 hot water wand; Hot water economizer (optional); stainless steel work surface; Raised groups (optional).

MODEL	FEATURES	VERSION	CODE	PRICE €
Compact	Boiler: Lt. 7,5; Power: 2900W (230) /1400W (115) Voltage: 115V/230V; Frequency: 50/60Hz; Dim.(WxDxH): 554x545x498 mm; Net/Gross weight: Kg. 42,5/52,5;	S 115V	MAPPC19SEM02	3.100
		S 230V	MAPPC19SEM02	
		V 115V	MAPPC19VOL02	3.740
		V 230V	MAPPC19VOL02	
1 Gr	Boiler: Lt. 5; Power: 1900W (230) /1400W (115) Voltage: 115V/230V; Frequency: 50/60Hz; Dim.(WxDxH): 404x545x498 mm; Net/Gross weight: Kg. 32,5/41;	S 115V	MAPP19SEM01	2.120
		S 230V	MAPP19SEM01	
		V 115V	MAPP19VOL01	2.590
		V 230V	MAPP19VOL01	

OPTIONAL	FEATURES	VERSION	CODE	PRICE €
Colors	Optional painted colors ■ Black ■ Red □ White	Compact		95
Colors	Optional painted colors ■ Black ■ Red □ White	1 Gr		85
Raised groups version	With raised base	Compact		
"Easy cream" steam wand	Electrical milk temperature control; Only right wand	V		590
Cup warmer	Full Gel system	Compact		85
Hot water economizer kit	Hot water mixer	Compact		95
Remote Control		V		980
International certification				75
Special plug	Any plug different from shuko			25
AFTER SALE				
"Cool Touch" steam wand kit			KLVCT004	95
Nano Tech portafilter			KPFNT00*	95
Nano Tech + leather portafilter			KPFNP00*	150
Metal tamper			KPCNS001	75
Nano Tech dispersion block			07300183*	18
"Cool Touch Nano Tech" steam wand kit			KLVCTN04	115
Espresso management system	3-year subscription with tantum		KEMS0001	500

M U S I C A

Semi-professional traditional coffee machine; Thermal controlled professional group; Programmable volumetric dosage; SIS system; 1 stainless steel steam wand with Push&Pull command; Stainless steel body; professional boiler manometer; Extractable water tank or direct connection to water system (Vers. "AD"); LED lighted borders (Vers. LUX).



STANDARD COLORS

- Black
- Lux

MODEL	FEATURES	VERSION	CODE	PRICE €
Standard	Water tank: Lt. 3; Insulated copper boiler: Lt.2; Power: 1200W; Voltage: 115/230V; Frequency: 50/60Hz; Dim.(WxDxH): 320x400x430 mm; Net/Gross weight: 20/23 Kg;	115V	MMUSICAVOL01	1.530
		230V	MMUSICAVOL01	1.430
Lux	Direct connection with water supply; Insulated copper boiler: Lt.2; Power: 1200W; Voltage: 115/230V; Frequency: 50/60Hz; Dim.(WxDxH): 320x400x430 mm; Net/Gross weight: 20/23 Kg;	115V	MMUSICALUX01	1.680
		230V	MMUSICALUX01	1.580
Standard AD	Direct connection with water supply; Insulated copper boiler: Lt.2; Power: 1200W; Voltage: 115/230V; Frequency: 50/60Hz; Dim.(WxDxH): 320x400x430 mm; Net/Gross weight: 20/23 Kg;	115V	MMUSICAVOL01	1.580
		230V	MMUSICAVOL01	1.480
Lux AD	Direct connection with water supply; Insulated copper boiler: Lt.2; Power: 1200W; Voltage: 115/230V; Frequency: 50/60Hz; Dim.(WxDxH): 320x400x430 mm; Net/Gross weight: 20/23 Kg;	115V	MMUSICALUX01	1.730
		230V	MMUSICALUX01	1.630

OPTIONAL	FEATURES	VERSION	CODE	PRICE €
I-coffee	Wi-fi system connection			120
Rotary Pack	Rotary pump, professional pressurestat, double portafilter on the 230V version.			350
Professional Pack	Professional pressurestat, double portafilter on the 230V version.			110
International certification				75
Special plug	Any plug different from shuko			25
AFTER SALE				
Direct water discharge kit			KSVD000*	65
Nano Tech portafilter			KPFNT00*	95
Nano Tech + leather portafilter			KPFPN00*	150
Tank and dip tray kit	Package of 4		KFCWM001	120
Spare pip tray kit	Package of 4		KFCWM000	70
Metal tamper	Ergonomic tamper with adjustable height		KPCNS001	75
Nano Tech dispersion block	Dispersion block for easier cleaning (3 mm)		07300183*	18

O S C A R II



STANDARD COLORS

- Black
- Blue
- Red

Semi-professional traditional coffee machine; Thermal controlled professional group; temporized dosage; 1 steam wand; ABS colored body; Extractable water tank or direct connection to water system (Vers. "AD");

MODEL	FEATURES	VERSION	CODE	PRICE €
Oscar II	Water tank: Lt 3; Insulated copper boiler: Lt.2; Power: 1200W; Voltage: 115/230V; Frequency: 50/60Hz; Dim. (WxDxH): 300x408x400 mm; Net/Gross weight: 14/17 Kg;	115V	MOSCAIITEM01	840
		220V	MOSCAIITEM01	
Oscar II AD	Direct connection with water system; Insulated copper boiler: Lt.2; Power: 1200W; Voltage: 115/230V; Frequency: 50/60Hz; Dim. (WxDxH): 300x408x400 mm; Net/Gross weight: 14/17 Kg;	115V	MOSCAIITEM01	840
		220V	MOSCAIITEM01	

OPTIONAL	FEATURES	VERSION	CODE	PRICE €
I-coffee	Wi-fi system connection			120
Professional Pack	Professional pressurestat, bypass			90
International certification				75
Special plug	Any plug different from shuko			25
AFTER SALE				
Nano Tech portafilter			KPFNT00*	95
Nano Tech + leather portafilter			KPFPN00*	150
Tank and drip tray kit	Package of 4		KFCWM001	120
Spare pip tray kit	Package of 4		KFCWM000	70
Metal tamper	Ergonomic tamper with adjustable height		KPCNS001	75
Nano Tech dispersion block	Dispersion block for easier cleaning (3 mm)		07300183*	18

MYTHOS GRINDERS



Mythos Two
STANDARD COLORS
■ Black □ White



Mythos One
STANDARD COLORS
■ Black □ White



Mythos Plus
STANDARD COLORS
■ Black □ White ■ Grey
□ Inox sat



Mythos Basic
STANDARD COLORS
■ Black □ White ■ Grey

Electronic On-Demand grinder; Long Life Burrs diameter 75mm (One) – 85 mm (Two); Touch Display (Mythos Two) Multifunction display; Variable speed (Mythos Two); Total/partial dose counter; N. 3 scenarios (Mythos Two); N. 3 programmable doses; Manual addition; Stop&Go function; "Barista" function; Micrometric grinding regulation; Clima Pro 2.0 technology (Mythos Two); Clima Pro technology (Mythos One); Bean hopper extraction safety system; Dynamometric tamper (Mythos Plus).

MODEL	FEATURES	VERSION			CODE	PRICE €
Mythos Two	Bean Hopper Capacity: 2 Kg; Burrs: Long Life Ø = 85 mm; Power (fixed speed): 750W (115V) /650W (230V); Power (variable speed): 450W (115V) /500W (230V); Voltage: 115/230V; Frequency: 50/60 Hz; Maximum daily production suggested:12 Kg; Dim.(WxDxH): 202x416x518 mm; Net/gross weight: 21/23,5 Kg, (fixed speed) 22/24,5 Kg (variable speed);	115V	PURE	black	AMI2 8321	2.700
		230V			AMI2 8322	
		115V		white	AMI2 8311	
		230V			AMI2 8312	
		115V	PREMIUM	black	AMI2 8421	3.000
		230V			AMI2 8422	
		115V		white	AMI2 8411	
		230V			AMI2 8412	
Mythos One	Bean Hopper Capacity: 1.3 Kg; Burrs: Long Life Ø = 75 mm; Power: 950W (115V) /500W (230V); Voltage: 115/230V; Frequency: 50/60 Hz; Grinding speed (sec./dose): 2,7; Maximum daily production suggested:8 Kg; Dim.(WxDxH): 185x400x510 mm; Net weight: 22 Kg;	115V	black		AMI 7421	2.230
		230V			AMI 7422	
		115V	white		AMI 7411	2.230
		230V			AMI 7412	
Mythos Plus	Bean Hopper Capacity: 3.2 Kg ; Dynamometric tamper: 0-24 Kg; Burrs: Long Life Ø = 75 mm; Power: 950W (115V) /800W (230V); Voltage: 115/230V; Frequency: 50/60 Hz; Grinding speed: 1.2"- 2.5"; Maximum daily production suggested: 8 Kg; Dim.(WxDxH): 195x475x590 mm; Net weight: 20 Kg;	115V	inox sat		AMI 7001	2.040
		230V	inox sat		AMI 7002	2.010
		115V	grey		AMI 7031	1.820
		230V	grey		AMI 7032	1.790
		115V	matte black		AMI 7021	1.820
		230V	matte black		AMI 7022	1.790
Mythos Basic	Capacità silos caffè: 3.2 Kg; Burrs: Ø = 75mm; Power:950W(115V) / 800W(230V); Voltage: 115/230V; Frequency: 50/60 Hz; Grinding speed: 1.2" - 2.5"; Maximum daily production suggested: 8Kg; Dim.(WxDxH): 195x475x590 mm; Net weight: 20Kg;	115V	grey		AMI 7131	1.500
		230V	grey		AMI 7132	1.480
		115V	matte black		AMI 7121	1.500
		230V	matte black		AMI 7122	1.480

OPTIONAL	FEATURES	VERSION	CODE	PRICE €
Stainless steel grinding base	Base (WxDxH) 250x380x80mm, with drawer.		KCS00003	155
Special plug	Any plug different from shuko			25
Grinder Mat		Mythos two	15030235	59
Grinder Mat		Mythos one	15030234	40

GRINDERS

ON DEMAND



MDJ
STANDARD COLORS
■ Black □ White ■ Red



MDXS
STANDARD COLORS
■ Black □ White ■ Red



MDH
STANDARD COLORS
■ Black □ White ■ Red



GRINTA
STANDARD COLORS
■ Black ■ Red ■ Chrome

MODEL	FEATURES	VERSION		CODE	PRICE €
MDJ	Micrometric adjustment Bean Hopper Capacity: 1,7 Kg; Burrs: Long Life Ø = 75 mm; Power: 750W (115V)/575W (230V); Voltage: 115/230V; Frequency: 50/60 Hz; Maximum daily production suggested: 5 Kg; Dim. (WxDxH): 215x290x605 mm; Net weight: 15 Kg;	115V	Black	AMJ S75*130	1.070
			White		
			Red		
		230V	Black	AMJ S75*230	1.070
			White		
			Red		
MDXS	Micrometric grinding regulation; Adjustable dosage; Bean Hopper Capacity: 1,7 Kg; Burrs: Ø 65 mm; Grinding speed (sec/dose): 2g/s; Power: 400W(115V) /350W (230V); Voltage: 115/230V; Frequency: 50/60Hz; Maximum daily production suggested: 4 Kg; Dim. (WxDxH): 212x290x601 mm; Net weight: 10 Kg;	115V	Black	AMXS 602130	820
			White	AMXS 608130	
			Red	AMXS 600130	
		230V	Black	AMXS 602230	780
			White	AMXS 608230	
			Red	AMXS 600230	
MDH	Micrometric grinding regulation; Adjustable dosage; Bean Hopper Capacity: 0,5 Kg; Burrs: Ø 50 mm; Maximum daily production suggested: 0,5Kg; Power: 300W (115V)/260W (230V); Voltage: 115/230V; Frequency :50/60Hz; Dim. (WxDxH): 165x73x110 mm; Net/gross weight: 5/6 Kg;	115V	Black	AMH 502130	420
			White	AMH 503130	
			Red	AMH 500130	
		230V	Black	AMH 502230	420
			White	AMH 503230	
			Red	AMH 500230	
Grinta	On demand semi-professional grinder; Micrometric regulation; Electronic dosage (Mod. AMMT); Bean Hopper Capacity: 0,5 Kg; Flat burrs: Ø 50 mm; Maximum daily production suggested: 0,5 Kg; Power: 220 W; Voltage: 115/230V; Frequency:50/60Hz; Dim. (WxDxH): 140x210x420 mm; Net weight: 3,6 Kg;	MANUAL			
		115V		AGRINTASEM00	265
		230V		AGRINTASEM00	255
		AUTOMATIC			
		115V		AGRINTATEM00	275
		230V		AGRINTATEM00	265
		MANUAL			
		chrome 115V		AGRINTASEM00	285
		chrome 230V		AGRINTASEM00	275
		AUTOMATIC			
		chrome 115V		AGRINTATEM00	295
		chrome 230V		AGRINTATEM00	285

OPTIONAL	FEATURES	VERSION	CODE	PRICE €
Stainless steel grinding base	Base (WxDxH) 250x380x80mm, with drawer		KCS00003	155
Special plug	Any plug different from shuko			25

GRINDERS



MDJ
STANDARD COLORS
■ Black □ White ■ Red



MDK
STANDARD COLORS
■ Black □ White ■ Red



MDKR
STANDARD COLORS
■ Black □ White ■ Red



MDXS
STANDARD COLORS
■ Black □ White ■ Red

MODEL	FEATURES	VERSION	CODE	PRICE €
MDJ	Professional grinder; Micrometric adjustment Bean Hopper Capacity: 1,7 Kg; Burrs: Long Life Ø = 75 mm; Power: 750W (115V)/575W (230V); Voltage: 115/230V; Frequency: 50/60 Hz; Maximum daily production suggested: 5 Kg; Dim. (WxDxH): 215x350x605 mm; Net weight: 15 Kg;	115V	AMJAS75*1	1.000
		230V	AMJAS75*2	1.000
MDK	Professional grinder; Micrometric grinding regulation; Bean Hopper Capacity: 1.7 Kg; Tempered steel conic burrs: 13/68 mm; Maximum daily production suggested: 10 Kg; Grinding speed: 900 s/min; Power: 600W (380V)/420W (230V); Voltage: 380V; Frequency: 50/60Hz; Dim. (WxDxH): 235x330x585mm; Net weight: 17 Kg;	380v	AMKCS60*4	1.175
MDKR	Professional grinder; Micrometric grinding regulation; Bean Hopper Capacity: 1.7 Kg; Tempered steel conic burrs: 13/68 mm; Maximum daily production suggested: 10 Kg; Grinding speed: 300 s/min; Power: 750W (380V); Voltage: 380V; Frequency: 50/60Hz; Dim. (WxDxH): 235x330x585mm; Net weight: 17 Kg;	380V	AMKRCS60*4	1.550
MDXS	Micrometric grinding regulation; Adjustable dosage; Bean Hopper Capacity: 1,7 Kg; Burrs: ø 65 mm; Grinding speed (sec/dose): 2g/s; Power: 400W(115V) /350W (230V); Voltage: 115/230V; Frequency: 50/60Hz; Maximum daily production suggested: 4 Kg; Dim. (WxDxH): 212x290x601 mm; Net weight: 12 Kg;	MANUAL		
		115V	AMXS 60*1	660
		230V	AMXS 60*2	620
		AUTOMATIC		
		115V	Black AMXSA 6021	720
			White AMXSA 6031	720
			Red AMXSA 6001	720
		230V	Black AMXSA 6022	680
			White AMXSA 6032	680
			Red AMXSA 6002	680

OPTIONAL	FEATURES	VERSION	CODE	PRICE €
Stainless steel grinding base	Base (WxDxH) 250x380x80mm, with drawer;		KCS00003	155
Special plug	Any plug different from shuko			25



Simonelli Group s.p.a.

Via E. Betti, 1 - 62020 Belforte del Chienti - (MC) Italy

Tel. +39 0733.950243 - Fax +39 0733.850247

e-mail: info@nuovasimonelli.it | www.nuovasimonelli.it